

Providing Pure Power For 40 Years

CATALOGUE & PRICE LIST VOLUME 7

WARRANTY

GENIE / WILDCAT HEADERS will repair or replace, at its discretion, Mild Steel Headers 2 Years from date of purchase Stainless Steel Headers 3 Years from date of purchase LPG & Commercial Vehicles 6 Months from date of purchase.

Should the product be found to be defective, due to faulty workmanship or materials.

If the part has been damaged by Misuse, Accident, Improper application or installation or a cause beyond the control of Genie / Wildcat Headers this guarantee becomes null and void.

It is a condition of warranty that the faulty part be returned, freight paid to Genie/Wildcat Headers for inspection, with claim form attached and completed.

Genie / Wildcat will not be responsible for costs in connection with freight or for any expenditure necessary to dismantle, replace or reassemble the article.

This guarantee does not exclude any condition or warranty implied by the Trade Practices Act or State Laws.

CONDITIONS OF SALE

- 1 Trading terms -- 30 days
- Ownership of goods does not pass to purchaser until payments made in full.
- Requests for credit or return of goods must be received within 14 days of date of invoice.
- Where possible, prior notice will be given on price change however Genie/Wildcat Headers reserves the right to change prices without notice
- 5 All Prices exclude GST.
- All Prices Quoted in this Catalogue are Recommended List Price including GST. Unless otherwise Stated.

WHILE EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF THIS CATALOGUE, WE TAKE NO RESPONSIBILITY FOR MODEL VARIATIONS OR SPECIFICATION CHANGES. PLEASE CHECK ALL DETAILS

Benefits of a genuine Genie Header



Up to 10% improved fuel economy and performance

2-Year Australia wide replacement guarantee

Australian company, improving performance for over 40 years

800°c high temperature coating

Copper colour. Blends into engine bay

Laser cut flange plates

Surface ground flange plates ensure a perfect seal to head. Every time

Primary pipes join through flange to ensure smooth airflow

Flanged outlets (where applicable)

2 bolt flanges are slotted for ease of fitment

2 and 3 bolt flange supplied with nuts and bolts (where applicable)

All Genie headers are pressure tested to ensure they have NO air leaks

All our primary and secondary pipes are mandrel bent. More power and no restriction

Designed for maximum performance, ease of fitment and customer satisfaction

Contents

CHRYSLER	-VALIANT	
6CYL 8CYL	4 4	CIVIC HRV
DIAHA	ATSU	
CHARADE/HANDIVAI FEROZA ROCKY TERIOS	N 5 5 5 5	ACCEN EXCEL LANTRA "S"COU "COUPE
FOI	RD	TIBURG
4 c UNIVERSAL CAPRI CORSAIR CORTINA COURIER ECONOVAN ESCORT FESTIVA LASER METEOR MONDEO	cyl 6 6 6 6 7 7 7 7-8 8	CHERO WRANG SPORT/
RAIDER TELSTAR5	8 8	
BRONCO F100 CORTINA FAIRLANE FALCON MAVERICK	9 9 9 9-10 10	UNIVER 323 626 929 B2600
8 c F100-150-250-350 BRONCO FALCON FAIRLANE	291 11 11 12-13 12-13	MX5 RX3 RX4 RX7
HOLI	DEN	
4 c	eyl 14	MGTC

HOLDEN	
4 cyl	
ASTRA	14
BARINA	14
DROVER	14
GEMINI	14
ISUZU UTE/ SHUTTLE	14
NOVA	14
JACKAROO	15
RODEO	15
6 cyl	
JACKAROO	15
RODEO	15
EH-HZ	16
COMMODORE	16-17
TORANA	17
COMPETITION	18
8 cyl	
COMMODORE VR-VS	19
COMMODORE VT-VY	20
HK-WB	21
TORANA	22

но	NDA
CIVIC HRV	23 23
нүц	JNDAI
ACCENT EXCEL LANTRA "S"COUPE "COUPE" TIBURON	24 24 24 24 24 24
JI	EEP
CHEROKEE WRANGLER	25 25
P	KIA
SPORTAGE	25
M	IINI
MINI	25
MA	ZDA
UNIVERSAL 323 626 929 B2600 MX5 RX3 RX4 RX7	26 26 27 27 27 27 27 27 27
	иG
MGTC	28

MIN	
MINI	25
MAZ	DA
UNIVERSAL 323 626 929 B2600 MX5 RX3 RX4 RX7	26 26 27 27 27 27 27 27 27
мо	•
MGTC	28
MITSUE	зіѕні
CANTER COLT GALANT L200 L300 LANCER MAGNA MIRAGE PAJERO CHALLENGER SIGMA TRITON	29 29 29 29 29 30 30 30 31 32 32 32

NISSAN	
120Y,1200 1600 180-200B STANZA BLUEBIRD NAVARA PATROL PATHFINDER PINTARA PRAIRIE PULSAR SILVIA SKYLINE URVAN 240Z-260Z	33 33 33 33 33 34 34 34 35 35 35 35 36 36 36 36
PROTON	
PERSONA SATRIA	37 37
RANGE ROVE	R
LANDROVER DISCOVERY	37 37
ROCSTA	
ROCSTA	38
SUZUKI	
SIERRA SWIFT VITARA	38 38 38
тоуота	
CAMRY CELICA COROLLA CORONA DYNA HIACE HILUX LANDCRUISER 4 PRADO RAV4 TARAGO T18	39 39 39-40 40 40 41 42 3-44-45 45 45 45
VOLKSWAGO	N
BEETLE KOMBI	46 46
BLOCK HUGGE	RS
FORD HOLDEN CHEV	46 46 46

NOTES

47

GENIE X OVER PART



Wildeat CHRYSLER/VALIANT

6CYL

AP5-VF	GENIE#	GENIE# 44E.					WILDCAT# 63				
62-69 TRI-Y 225CI SLANT 6	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
	EM25	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ			2HRS

*WILL NOT FIT R OR S SERIES

VG-VH-VJ-VK-CL	GENIE#	# 144E				WILDC	AT# 29			
70-80 TRI-Y 215CI-265CI HEMI 6	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	EM26	1 5/8	2	2 1/4	Υ	Υ	N	Υ		2HRS

VE-CM	GENIE#	ENIE# 45E										
TRI-Y 273-318-340-360 V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME	
	DSF039	1 5/8	1 3/4	2 1/4		Y					4HRS	



DIAHATSU



CHARADE	/ HANDIVA	١N			WILDC	AT# 45				
83- G10-11-100	TUNED 1LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO			FITTING TIME
		EG193	1 3/8	*	2	Υ	Υ			

FE	EROZA 4	WD	GENIE#	# 610E				WILDC	AT# 189			
	<mark>3-9/92</mark> 6LTR EF	TRI-Y I 4CYL	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
Н	DE ENGI	NE	EG68	1 1/2	1 3/4	2	Y	Y	Y	Y		2HRS

**DIRECT BOLT-ON FITMENT

ROCKY 4WD	GENIE# 242E WILDCAT# 65										
84-9/89 TRI-Y F80-F85	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON		FITTING TIME
2Y-3Y-4Y PETROL	HSM50	1 1/2	1 3/4	2	Υ		Υ	Υ	Υ		2HRS

DELTA / ROCKY				WILDC	AT# 140								
F55-70-75 TRI-Y MANUAL ONLY	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON		FITTING TIME		
2.8LTR DIESEL	EG67	1 5/8	1 3/4	2	Y	N					2HRS		

TERIOS		GENIE#	# 610E								
1.3LTR NOT DIRE	TRI-Y CT FIT	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		EG68	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ		

^{**}NEEDS MODIFICATION ON SECONDARIES AND OUTLET TO FIT**





						W. D.O.	AT!! 07			
UNIVERSAL					I	WILDC	AT# 67			l l
RWD TUNED 1.5-2.0LTR	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO				FITTING TIME
SQUARE PORT	DSF125	1 1/2		2	Υ	Y				2HRS
UNIVERSAL						WILDC	AT# 66			
RWD TUNED 1.6-2.0LTR	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO				FITTING TIME
ROUND PORT	EM92	1 1/2		2	Υ	Υ				2HRS
CAPRI						WILDC	AT# 150			
68-71 TRI-Y 1.3-1.6LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO				FITTING TIME
	DSF067	1 1/2			Y	Y				2.5HRS
	**DIRECT E	BOLT-ON FIT	MENT							
CAPRI CONVERT.	GENIE#	# 176EP								
89-90 TRI-Y SA SOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON	FITTING TIME
	DSF067	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2.5HRS
	**DIRECT E	BOLT-ON FIT	MENT							
CORSAIR KA						WILDC	AT# 69			
CORSAIR KA 89-92 TRI-Y UA	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	WILDC AUTO	AT# 69	P/STEER		FITTING TIME
89-92 TRI-Y		PRIMARY	2ND PIPE		MANUAL		I	P/STEER Y		
89-92 TRI-Y UA 2.0LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	FLANGE		AUTO Y	AIR-CON Y			TIME
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	FLANGE		AUTO	AIR-CON Y			TIME
89-92 TRI-Y UA 2.0LTR CORSAIR KA	GASKET EG56	PRIMARY SIZE 1 1/2	2ND PIPE SIZE 1 3/4	FLANGE 2 OUTLET	Y	AUTO Y WILDC	AIR-CON Y AT# 69	Y		TIME 2HRS FITTING
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E	GASKET EG56 GASKET	PRIMARY SIZE 1 1/2 PRIMARY SIZE	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	2 OUTLET SLIP	Y	Y WILDC AUTO	AIR-CON Y AT# 69 AIR-CON	Y P/STEER		TIME 2HRS FITTING TIME
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E	GASKET EG56 GASKET	PRIMARY SIZE 1 1/2 PRIMARY SIZE 1 1/2	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	2 OUTLET SLIP	Y	Y WILDC AUTO	AIR-CON Y AT# 69 AIR-CON Y	Y P/STEER		TIME 2HRS FITTING TIME
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E 2.4LTR 12V	GASKET EG56 GASKET EG515	PRIMARY SIZE 1 1/2 PRIMARY SIZE 1 1/2	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	2 OUTLET SLIP	Y	Y WILDC AUTO Y	AIR-CON Y AT# 69 AIR-CON Y	Y P/STEER		TIME 2HRS FITTING TIME
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E 2.4LTR 12V CORTINA 71-77 TRI-Y	GASKET EG56 GASKET EG515	PRIMARY SIZE 1 1/2 PRIMARY SIZE 1 1/2 PRIMARY SIZE PRIMARY SIZE	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE	PLANGE 2 OUTLET SLIP 2 OUTLET	Y MANUAL Y	Y WILDC AUTO Y WILDC	AIR-CON Y AT# 69 AIR-CON Y AT# 70	Y P/STEER		FITTING TIME 2HRS FITTING FITTING
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E 2.4LTR 12V CORTINA 71-77 TRI-Y TC-TD 2.0LTR	GASKET EG56 GASKET EG515 GENIE#	PRIMARY SIZE 1 1/2 PRIMARY SIZE 1 1/2 PRIMARY SIZE PRIMARY SIZE	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	PLANGE 2 OUTLET SLIP 2 OUTLET SLIP	Y MANUAL Y MANUAL	AUTO Y WILDC AUTO Y WILDC AUTO	AIR-CON Y AT# 69 AIR-CON Y AT# 70 AIR-CON	Y P/STEER		FITTING TIME 2HRS FITTING TIME 2HRS
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E 2.4LTR 12V CORTINA 71-77 TRI-Y TC-TD 2.0LTR	GASKET EG56 GASKET EG515 GENIE#	PRIMARY SIZE 1 1/2 PRIMARY SIZE 1 1/2 PRIMARY SIZE PRIMARY SIZE	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	PLANGE 2 OUTLET SLIP 2 OUTLET SLIP	Y MANUAL Y MANUAL	AUTO Y WILDC AUTO Y WILDC AUTO	AIR-CON Y AT# 69 AIR-CON Y AIR-CON Y	Y P/STEER		FITTING TIME 2HRS FITTING TIME 2HRS
89-92 TRI-Y UA 2.0LTR CORSAIR KA 89-92 TRI-Y KA FWD KA24E 2.4LTR 12V CORTINA 71-77 TRI-Y TC-TD 2.0LTR X FLOW	GASKET EG56 GASKET EG515 GENIE#	PRIMARY SIZE 1 1/2 PRIMARY SIZE 1 1/2 PRIMARY SIZE PRIMARY SIZE	2ND PIPE SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	PLANGE 2 OUTLET SLIP 2 OUTLET SLIP	Y MANUAL Y MANUAL	AUTO Y WILDC AUTO Y WILDC AUTO	AIR-CON Y AT# 69 AIR-CON Y AIR-CON Y	Y P/STEER		FITTING TIME 2HRS FITTING TIME 2HRS





COURIER							WILDC	ΔΤ# 46				
90-98 2.6LTR SC	2/4WD	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON		OXY SENSOR		FITTING TIME
12VALVE		EG71	1 5/8	1 3/4	2	Υ	Υ	Υ		Υ		1.5HRS
		*WILDCAT	1 1/2 PRIMA	.RY	**DIRECT I	BOLT-ON FIT	MENT					
ECONOVA	AN						WILDC	AT# 67				
84-87 1.8LTR-2.0	TUNED OLTR FE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON		OXY SENSOR		FITTING TIME
		EM91	1 1/2		2	Υ	Υ	Υ		Υ		1.5HRS
		* MANIFOL	D DRIVERS	SIDE								
ESCORT	MK2	GENIE#	‡ 219E									
77-80 2.0LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO					FITTING TIME
		DSF25	1 5/8	1 3/4	2	Υ	Υ					1.5HRS
FESTIVA		GENIE#	‡ 182E									
4-94/1-96 1.3 EFI FV	TRI-Y VD	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
B3 ENGIN	E	EG155	1 3/8	1 5/8	2	Υ	Υ					2HRS
		**DIRECT E	BOLT-ON FIT	MENT								
LASER							WILDC	AT# 78				
KA-KB 81-85	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP	ERG-CON	FITTING TIME
		DSF47	1 3/8	1 5/8	2	Υ	Υ	Υ		N	Υ	2HRS
LASER &	TX3	GENIE#	‡176E									
KC-KE 85-90	TRI-Y B6F	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
1.6LTR	EFI	DSF67	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ			2.5HRS
LASER		GENIE#	‡ 180E				WILDC	AT# 246				
KF-KH 90-	TRI-Y SOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
1.8LTR	16V EFI	EG261	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ			2HRS

^{**}DIRECT BOLT-ON FITMENT (GENIE ONLY)



					T	CIL						
LASER		GENIE#	‡ 179E				WILDC	AT# 9				
KF-KH 90-	TRI-Y DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.8LTR	16V EFI	EG262	1 5/8	1 3/4	2	Y	Y	Υ	Y	Y		2HRS
		**DIRECT E	BOLT-ON FIT	MENT (GEN	IE ONLY)		WILDCAT D	OESN'T HA	VE OXY FIT	ΓING		
LASER							WILDC	AT# 230				
BJ 98-02	TRI-Y DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.8LTR	16V EFI	HTG547	1 5/8	2	2 1/4	Y	Y	Y	Y	Y		2HRS
			•			•		•	•	•		
LASER							WILDC	AT# 252				
2002-	TRI-Y DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.0LTR	16V EFI	HTG547	1 5/8	2	2	Y	Y	Υ	Υ	Υ		2HRS
		**DIRECT E	BOLT-ON FIT	MENT				•	•	•		
METEOR							WILDC	AT# 78				
GA-GB 81-85	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		ERG-CO	FITTING TIME
1.3-1.5LTR		DSF47	1 3/8	1 5/8	2	Υ	Υ				Υ	2HRS
						•		•	•	•		
METEOR							WILDC	AT# 25				
GC 85-90	TRI-Y SOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR	8V EFI	DSF67	1 1/2	1 3/8	2	Y	Y	Υ	Y	Y		2.5HRS
MONDEO		GENIE#	‡ 181E									
GLX 95-	TRI-Y DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	AIR PUMP	FITTING TIME
2.0LTR	EFI	EG320	1 5/8	1 3/4	2	Y	Y	Y	Y	Y	*	1.5HRS
		*USE GEN1	181EP FOR A	AIR PUMP M	ODEL	**DIRECT E	BOLT-ON FIT	ГМЕНТ				
RAIDER		GENIE#	# 630E				WILDC	AT# 46				
4WD 90-96	TRI-Y EFI	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.6LTR	12V G6	EG71	1 1/2	1 3/4	2	Y		Y	Υ	Y		1.5HRS
		**DIRECT E	BOLT-ON FIT	MENT		ı		•			l	
TELSTAR		GENIE#	# 626E									
AR-AS 83-7/85	TRI-Y FWD	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	AIR PUMP	FITTING TIME
2LTR	FE	DSF64	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ	*	1.5HRS

^{*}USE GEN626EP FOR AIR PUMP MODEL





6CYL

## PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	FITTING TIME 2HRS FITTING TIME 2HRS
3.3-4.1LTR X-FLOW CAST & ALLOY DSF68	TIME 2HRS FITTING TIME
*ON SOME MODELS,SECONDARY PIPES MAY NEED TO BE MODIFIED CORTINA GENIE# 392E TE-TF TRI-Y 80- X-FLOW 3.3-4.1LTR ALLOY DSF68 1 1/2 1 3/4 2 Y Y Y FAIRLANE ZA-ZG GENIE# 152E GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	FITTING
CORTINA GENIE# 392E	TIME
TE-TF TRI-Y GASKET PRIMARY SIZE 2ND PIPE SIZE OUTLET SLIP MANUAL AUTO AIR-CON P/STEER 3.3-4.1LTR ALLOY DSF68 1 1/2 1 3/4 2 Y Y Y Y FAIRLANE ZA-ZG GENIE# 152E 67-75 TRI-Y GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	TIME
80- X-FLOW 3.3-4.1LTR ALLOY DSF68 1 1/2 1 3/4 2 Y Y Y FAIRLANE ZA-ZG GENIE# 152E 67-75 TRI-Y GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	TIME
FAIRLANE ZA-ZG GENIE# 152E 67-75 TRI-Y GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	2HRS
67-75 TRI-Y GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	
67-75 TRI-Y GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER	
GASKET FRIMART ZIND FIFE OUTLET MANOAL AUTO AIR-CON F/STEER	
	FITTING TIME
LOG MOTOR DSF10A 1 1/2 1 3/4 2 Y Y Y Y	2.5HRS
*WILL NOT FIT 200-221CI LOW BLOCK OR CANADIAN 3SPEED COLUMN CHANGE	
FAIRLANE ZH-ZL GENIE# 492E WILDCAT# 24	
78-85 TRI-Y 3.3-4.1LTR EFI GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER EGR-CO	TIME
CAST & ALLOY DSF68 1 1/2 1 3/4 2 Y Y Y *	2HRS
*ON XF-ZL MODELS USE EGR ADAPTER EGR482	
FAIRLANE ZL WILDCAT# 52	
85-88 TRI-Y 3.3-4.1LTR GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER OXY SIZE SIZE FLANGE OXY SENSOI	
ALLOY HEAD EFI DSF68 1 1/2 1 3/4 2 Y Y Y Y Y Y	2HRS
**DIRECT BOLT-ON FITMENT	•
FAIRLANE NA-NL GENIE# 694E WILDCAT# 21 OR 21X OR 243	5 ^
88-97 TRI-Y GENIE# 694SS WILDCAT# 21SS 3.9-4.0LTR CASKET DRIMARY CANDRIDE OUTLET MANUAL AUTO AIR CON RISTEER OVY	FITTING
GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER OXY SIZE SIZE FLANGE* SENSOI	R FITTING TIME
DSF61 1 5/8 2 2 1/2 Y Y Y Y Y	2HRS
*GEN694 ALSO AVAILABLE WITH LONGER SECONDARY PIPES, USE #GEN694ELB.	
*WILD21X HAS 1 1/2 PRIMARY PIPES. *WILD243 EASY FIT(SHORT SET) *GENIE IS SLIP JOIN	IT
FALCON XK-XP WILDCAT# 51	
60-65 TRI-Y 144-170 & 200* GASKET PRIMARY 2ND PIPE OUTLET SIZE SIZE SLIP MANUAL AUTO	FITTING TIME
EM17 1 1/2 1 3/4 2 Y Y	2HRS
*MUST BEND DOWN SECONDARIES TO FIT 200CI MOTOR *WILL NOT FIT WITH HEAVY DUTY STARTER	RMOTO
FALCON XR-XB GENIE# 152E WILDCAT# NA 67-73 TRI-Y GASKET PRIMARY 2ND PIPE OLITIET MANUAL ALITO AIR-CON P/STEER	FITTING

^{*}WILL NOT FIT 200-221CI LOW BLOCK OR CANADIAN 3SPEED COLUMN CHANGE

LOG MOTOR

DSF10A

1 1/2

1 3/4

2.5HRS



CVI

					6CYL	-					
FALCON XC-XF 76-85 TRI-Y	GENIE#	# 492E # 492SS					AT# 24 AT# 4S\$				
200-250 X-FLO	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON		FITTING TIME
IRON & ALLOY	DSF68	1 1/2	1 5/8	2 1/4	Υ	Υ	Υ	Υ	Υ		2.5HRS
	*ON XF MO	DELS USE	EGR ADAPT	ER EGR482	· *WILD 4 S	UITS ALLO	Y HEAD ONL	Y			
FALCON XF						WILDC	AT# 52				
FALCON XF			Г	ı	ı	WILDC	AT# 528	SS	ı	ı	
86-88 TRI-Y 3.3-4.LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
	DSF68	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
	**DIRECT E	BOLT-ON FIT	MENT								
FALCON XG UTE					l	WILDC	AT# 243	 	I		
86-02 TRI-Y 3.3-4.LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
	DSF68	1 1/2	2	2 1/2	Υ	Y	Υ	Y	Y		2HRS
	0=111=1					14/II D.O.	.=" 0.44				
FALCON EA-AU	GENIE#						AT# 210		JR 243*		
	GENIE	# 694SS				WILDC	AT# 218	5 S	l		
88-2002 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
3.9-4.0LTR	DSF61	1 5/8	2	2 1/2	Υ	Y	Υ	Υ	Y		2HRS
			ABLE WITH L 1/2 PRIMAR			,		3. SLIP JOINT			
FALCON EA-AU	GENIE#		.,2	20 11			AT# 21				
88-2002 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE*	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
3.9-4.0LTR	DSF61	1 5/8	2	2 1/2	Υ	Y	Υ	Υ	Y		2.5HRS
	*1 PIECE I	PERFORMA	NCE HEADE	R - LONG SI	ECONDARIE	S.*WILD243	EASY FIT		•		
FALCON BA	GENIE#	# 006E				WILDC	AT# 255	5			
02- TRI-Y 4.0LTR DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
BARRA MOTOR	NA	1 5/8	2	2 1/2	Υ	Υ	Υ	Υ	Υ		2.5HRS
MAVERICK DA	GENIE#	‡ 295E	l		I	WILDC	AT# 33	T	T	T	
88-98 TRI-Y 4.2LTR PETROL CARB	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
4.2LTR DIESEL	DSF73	1 3/4	2	2 1/2	Υ	Y	Υ	Υ	N		2HRS
MAVEDICK DA	OFNIE4	4 2005				WILL DO	AT# 20*				
MAVERICK DA 88-98 TRI-Y	GENIE#				l		AT# 33*				
4.2LTR PETROL	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME

2 1/2 *FITS WITH CAT CONVERTER *WILD DOESN'T COME WITH OXY SENSOR FITTING

1 3/4

DSF73

Υ

2HRS

Υ

EFI



8CYL COMMERCIAL

F100-F250	2WD	GENIE#	IE# 550E WILDCAT# 47									
TO 1979 302-351CI	TRI-Y V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
2V ONLY		DSF027	1 3/4	2	2 1/4	Y	Y*	Y	Y			4HRS

^{*} LEFT SIDE WILL REQUIRE MODIFICATION FOR AUTO.

F100 4WD-	BRONCO	GENIE#	# 450E				WILDC	AT# 48			
TO 1979 302-351CI	TRI-Y V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
2V ONLY		DSF027	1 3/4	2	2 1/4	Υ	Y	Υ	Υ		3HRS

^{*}SOME MODELS MAY REQUIRE MODIFICATION TO X-MEMBER DUE TO MODEL CHANGES.

F100 2-4WD	-BRON-	GENIE#	GENIE# 470E											
81-86 302-351CI	TRI-Y V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME		
2V ONLY		DSF027	1 3/4	2	2 1/4	Y	Y	Y	Y			3HRS		

^{*}ONLY FIT STARTER MOTOR WITH REMOTE SOLENOIDS

F150 CO	2-4WD-BRON-	GENIE#	# 480SS								
86- 302 I	TRI-Y EFI WINDSOR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		DSF003	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ		3HRS

*WILL NOT FIT 351CI OR C10 AUTO.

**DIRECT BOLT-ON FITMENT

F150-F250-F350 4WD	GENIE#	GENIE# 484SS					GENIE# 485SS*					
BRONCO 86- TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP		FITTING TIME	
351 EFI WINDSOR	DSF003	1 1/2	1 3/4	2	Y*	Y	Y	Y	*		8HRS	

*USE 485SS IF HAS AIR PUMPS

**DIRECT BOLT-ON FITMENT

*IF FITTING TO MANUAL Y BRANCH TO CAT CONV. WILL NEED TO BE FABRICATED

F150-F250-F350 2WD	GENIE#	# 486SS*	ŧ	GENIE# 487SS*							
BRONCO	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP		FITTING TIME
351 EFI WINDSOR 86-	DSF003	1 1/2	1 3/4	2	Υ*	Υ	Υ	Υ	*		8HRS

*USE 486SS IF HAS AIR PUMPS

**DIRECT BOLT-ON FITMENT(AUTO)

^{*}IF FITTING TO MANUAL Y BRANCH TO CAT CONV. WILL NEED TO BE FABRICATED



					U . L						
FALCON XR-XF	GENIE#	# 54ET									
FAIRLAINE ZA-ZC	GASKET	PRIMARY		OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	AUTO		FITTING
66-85 TUNED		SIZE		FLANGE					CHOKE		TIME
289-302CI WINDSOR	DSF3	1 1/2		2 1/2	Υ	Υ	Y	Υ	Υ		3HRS
	*WHEN FIT	TING TO CO	LUMN CHAI	NGE, AUTO	SELECTOR	ROD MUST	BE STRAIGI	HTENED.			
FALCON XR-XY	Г					WILDC	AT# 76			ı	
FAIRLAINE ZA-ZD 66-85 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	AUTO CHOKE		FITTING TIME
289-302CI WINDSOR	DSF3	1 1/2	2	2 1/2	Y	Υ	Y	Y	Υ		3HRS
	*FITS WITH	I BOTH AUT	OLITE AND I	BOSCH STA	RTERS. *W	LL NOT FIT	C6 AUTO				
FALCON XA-XE						WILDC	AT# 53				
FAIRLAINE ZF-ZK 72-84 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	AUTO CHOKE		FITTING TIME
302-351CI 2V	DSF027	1 3/4	2	2 1/4	Υ	Υ	Y	Υ	Υ		3HRS
	*COLUMN	CHANGE MA	ANUAL , LIN	KAGE MUST	BE MODIFI	ED - WIL	L NOT FIT C	6 AUTO			
FALCON XR-XF	GENIE#	# 250E									
FAIRLAINE ZF-ZK 66-88 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	AUTO CHOKE		FITTING TIME
302-351CI 2V	DSF027	1 3/4	2	2 1/4	Υ	Υ	Υ	Υ	Υ		3HRS
	*COLUMN	CHANGE MA	ANUAL , LIN	KAGE MUST	BE MODIFI	ED - WILI	L NOT FIT C	6 AUTO			
FALCON XR-XF	GENIE#	# 250ET									
FAIRLAINE ZF-ZK 66-88 TUNED	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	AUTO CHOKE		FITTING TIME
302-351CI 2V	DSF027	1 3/4		2 1/2	Y	Υ	Y	Y	Υ		4HRS
	*COLUMN	CHANGE MA	ANUAL , LIN	KAGE MUST	BE MODIFI	ED - WIL	L NOT FIT C	6 AUTO			
FALCON XR-XF	GENIE#	# 350E									
FAIRLAINE ZF-ZK 66-88 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
302-351CI 4V	DSF18	1 3/4	2	2 1/4	Υ	Y	Υ	Υ			3HRS
	*WILL NOT	FIT C6 AUT	O OR FMX A	UTO							
FALCON XR-XF	GENIE#	# 350ET					ı				
FAIRLAINE ZF-ZK 66-88 TUNED	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
302-351CI 4V	DSF18	1 3/4		2 1/2	Y	Υ	Y	Υ			3HRS
	*WILL NOT	FIT C6 AUT	O OR FMX A	UTO							
FALCON EB-EL	GENIE#	# 696E				WILDC	AT# 77				
FAIRLAINE NB-NL -XH UTE	GENIE#	# 696SS				WILDC	AT# 778	SS			
91-98 TRI-Y 302EFI WINDSOR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
OULET THINDOON	DSF003	1 1/2	1 3/4	2	Υ	Y	Υ	Υ	Υ		4HRS





8CYL

FALCON AU	GENIE#	# 698E								
FAIRLAINE AU	GENIE#	# 698SS								
98-02 TRI-Y 302EFI WINDSOR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
	DSF003	1 1/2	2	2 1/4	Υ	Υ	Y	Y	Υ	4HRS

FALCON BA XR8	GENIE	# 260E								
BOSS260	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
03- TRI-Y		SIZE	SIZE	FLANGE					SENSOR	TIME
5.4LTR	PHFG4008	1 5/8	2	2 1/2	Υ	Υ	Υ	Υ	Υ	4HRS

*STAGE 1 HEADER TO SUIT STANDARD VEHICLES, IMPROVED TORQUE RANGE

FALCON BA XR8	GENIE#	# 260HP								
BOSS260	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
03- TRI-Y		SIZE	SIZE	FLANGE					SENSOR	TIME
5.4LTR	PHFG4008	1 3/4	2	2 1/2	Υ	Y	Y	Υ	Υ	4HRS

*STAGE 2 HEADER TO SUIT VEHICLES WITH MINOR BOLT-ON MODS.(EXHAUST,AIR INTAKE ETC).

FALCON BA XR8	GENIE#	# 260ET								
BOSS260	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
03- TUNED		SIZE	SIZE	FLANGE					SENSOR	TIME
5.4LTR	PHFG4008	1 5/8		2 1/2	Υ	Υ	Y	Υ	Y	4HRS

*STAGE 3 HEADER TO SUIT VEHICLES WITH MINOR MODS ,IMPROVED TOP END POWER.

FALCON BA XR8	GENIE#	# 260ETH	I P							
BOSS260	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
03- TUNED		SIZE	SIZE	FLANGE					SENSOR	TIME
5.4LTR	PHFG4008	1 3/4		2 1/2	Υ	Υ	Υ	Y	Y	4HRS

*STAGE 4 HEADER TO SUIT INTERNALLY MODIFIED AND SUPERCHARGED VEHICLES.





4CYL

ASTRA		GENIE#	# 465E				WILDC	AT# 209)*		
86-90 T 1.6-1.8LTR SC	'RI-Y OHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
		EM86	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2HRS
		*WILDCAT	PRIMARY P	IPES ARE 1	5/8 INCH						
BARINA MB-N	ИL						WILDC	AT# 17			
85-88 T 1.3LTR SOHC	RI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		EG73	1 1/2	1 3/4	1 3/4	Υ	Υ	Υ	Υ		2HRS
		**DIRECT E	BOLT-ON FIT	MENT							
BARINA SB		GENIE#	467E								
94-96 T 1.4LTR SOHC	RI-Y EFI	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
		EG655	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2HRS
		**DIRECT E	BOLT-ON FIT	MENT							
DROVER 4WD	כ	GENIE#	‡ 113E				WILDC	AT# 5*			
85-88 T 1.3LTR	RI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		EG58	1 3/8	1 5/8	2	Υ		Υ			1HR
		*WILDCAT	ARE 1 1/2 IN	ICH PRIMAR	Y PIPES , 1	3/4 INCH SE	CONDARIE	S			
GEMINI TC-TO	G						WILDC	AT# 84			
77-85 T 1.6-2.0LTR	RI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		DSF30	1 1/2	1 3/4	2	Υ	Υ	Υ			1HR
ISUZU UTE-SI	HUTTLE	VAN*					WILDC	AT# 84			
77-85 T 1.6-2.0LTR	RI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		DSF30	1 1/2	1 3/4	2	Υ	Υ	Υ			1HR
NOVA LE-LF							WILDC	AT# 35			
89-94 T 1.6LTR DOHC	RI-Y EFI	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME

^{1 1/2} *MUST CUT & WELD FLEX JOINT.

1 3/4

DSF30

1HR



4 CYL COMMERCIAL

JACKARO	OO-RODEO WILDCAT# 84											
81-87 2.0LTR PE	TRI-Y TROL	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON		FITTING TIME
		DSF30	1 1/2	1 3/4	2	Υ	Y	Y	Y	Υ		1HR

JACKAROO-RODEO	GENIE#	# 605E								
85-88 TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
2.3LTR		SIZE	SIZE	SLIP						TIME
ROUND PORT	DSF69	1 1/2	1 3/4	2	Y	Y	Y	Y		2HR

*WILL NOT FIT WIDE SUMP **DIRECT BOLT-ON FITMENT

JACKAROO	-RODEO	GENIE#	# 620E				WILDC	AT# 6*			
88-99	TRI-Y						WILDC	AT# 6SS	3		
2.6LTR EFI 4ZEI		GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		DSF69	1 1/2	1 3/4	2	Y	Y	Y	Y		2HR

^{*}WILDCAT PRIMARY PIPES ARE 1 5/8 INCH **DIRECT BOLT-ON FITMENT

6 CYL COMMERCIAL

JACKAROO	GENIE#	# 625E								
92- TRI-Y 3.2LTR V6 -6VEI	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
DOHC EFI	NA	1 3/4	2	2 1/4	Υ	Υ	Υ	Υ		4HRS

DIRECT FIT BOLT ON FITMENT

RODEO 4V	VD					WILDC	AT# 267				
2003- 3.5LTR V6	TUNED	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
6VDI		HTG577	1 3/4		2 1/4	Υ	Υ	Υ	Υ		4HRS



6 CYL

EH-HZ		GENIE#	# 90E*				WILDC	AT# 22	22E		
64-80	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	EGR	FITTING
149-202			SIZE	SIZE	SLIP			AFTER- MARKET		USE 22E	TIME
RED MOTOR		DSF002	1 1/2	1 3/4	2	Y	Υ	Y	Y	Y	2HRS

*GENIE WILL NOT FIT POWERGLIDE AUTO, OR HYDROMATIC AUTO. GENIE ARE 2"PRIMARY 2 1/4 OUTLET

EH-HT WI	TH GENERA	TOR					WILDC	AT# 22)	(
67-70	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
149-202			SIZE	SIZE	SLIP						TIME
RED MOTO	OR	DSF002	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ		2HRS

HQ-HZ WIT	TH EGR	GENIE#	# 92E				WILDC	AT# 177			
71-80 149-202	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
RED MOTO)R	DSF002	1 1/2	2	2 1/4	Y	Υ	Υ	Υ		2HRS

*WILL FIT WITH DELCO, FRIDIDAIRE AND SANKYO AIR CONDITIONING.

WB	GENIE#	‡ 213E				WILDC	AT# 40				
1980- TRI-Y	GENIE#	‡ 213EP				WILDC	AT# 40E		EP & E FITS	S EGR	
186-202	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER			FITTING
BLUE - BLACK MOTOR		SIZE	SIZE	SLIP							TIME
12 PORT HEAD	DSF035	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ			3HRS

*OUTLET MUST BE CUT BACK ON 213EP. WILL NOT FIT DELCO AIR CONDITIONING.

COMMOD	ORE VB	GENIE#	# 90E/88	E							
78-80	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
186-202			SIZE	SIZE	SLIP						TIME
RED MOT	OR	DSF002	1 1/2	1 3/4	2 1/2	Υ	Υ	Υ	Υ		2HRS

*WITH DELCO AIR .GENIE 88E COMPETITION SET

COMMODORE WIT	H EGR	GENIE#	92E							
78-80 VB TRI-Y 186-202	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	нот вох	FITTING TIME
RED MOTOR	DSF002	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ	Υ	2HRS

COMMODOR	E VC-VK	GENIE#	# 213EP/	99E			WILDC	AT# 40			
80-85 186-202	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	нот вох	FITTING TIME
BLUE MOTO	R CARB	DSF035	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ	Υ	2HRS

*WILL NOT FIT DELCO AIR. GENIE 99E COMPETITION SET.



6 CYL

COMMOD	ORE VC-VK E	GR C	SENIE# 2	213EP			WILDC	AT# 40E			
80-85 186-202	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	нот вох	FITTING TIME
BLUE MO	TOR CARB	DSF035	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ	Y	2HRS

*WILL NOT FIT DELCO AIR. WILL NOT FIT E F I

COMMODORE VL	GENIE#	‡ 216E				WILDC	AT# 3				
86-88 TRI-Y						WILDC	AT# 3S	3			
3.0LTR NISSAN ENGINE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON		FITTING TIME
	DSF059	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ	Y	Υ	2HRS

**DIRECT BOLT-ON FITMENT

COMMODORE VN-VR	GENIE#	218E				WILDC	AT# 32			
88-95 TUNED		WILDC	AT# 328	S						
3.8LTR V6 ALSO VG UTE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
	DSF060	1 5/8	2	2 1/2	Υ	Υ	Υ	Υ	Υ	3HRS

**DIRECT BOLT-ON FITMENT

COMMODORE VS	GENIE#	‡ 228E				WILDC	AT# 42			
95-97 TUNED		WILDC	AT# 428	S						
3.8LTR V6 ECOTEC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
AUTO & B/WARNER MANUAL		SIZL	SIZL	SLIF					SLNSON	TIIVIL
GETRAG USE 42MG	DSF83	1 5/8		2 1/8	Υ	Y	Υ	Υ	Υ	3HRS

^{*}FOR GETRAG MANUAL USE ONLY WILD42MG

COMMO	DDORE VT -VY	GENIE#	‡ 229E				WILDC	AT# 30			
97-03	TUNED	GENIE#	‡ 229SS			WILDC	AT# 30S	S			
	V6 ECOTEC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
		DSF83	1 5/8		2 1/8	Υ	Υ	Υ	Υ	Υ	3HRS

TORANA L	C-LX	GENIE#	# 90E				WILDC	AT# 88*			
69-78 179-202CI	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
RED MOTO)R	DSF002	1 1/2	2	2 1/4	Y	Υ	Y	Y		2HRS

*USE WILD88E WITH HOTBOX.WILL NOT FIT PHILIPPINO 4SPD. WILDCAT 1 3/4"SECONDARIES 2" OUTLET

TORANA L	X-UC	GENIE#	# 92E								
76-78 179-202CI	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	EGR-CON	FITTING TIME
RED MOTO	R	DSF002	1 1/2	2	2 1/4	Υ	Υ	Y	Υ	Υ	2.5HRS

^{*}WILL FIT WITH DELCO, FRIDGIDAIRE, SANKYO AIR.WILL NOT FIT PHILIPPINO 4SPD.

6CYL COMPETITION

RED MOTOR	GENIE#	# 88E								
HT-HZ TRI-Y LC-UC TORANA	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	SECOND SIZE	OUTLET SIZE	MANUAL	AUTO		FITTING TIME
VB COMMODORE	DSF035	1 1/2	1 3/4	2 1/2	1 3/4	2 1/4	Y	Υ		2HRS

^{*} WILL NOT FIT TRIMATIC WITH 360DEGREE 1 PIECE BELLHOUSING

*WILL FIT HK WITH SYNCRO GEARBOX.

BLUE-BLA MOTOR	CK
12PORT HE	EAD
HT-HZ	TRI-Y
LC-UC TOP	RANA
VR COMMO	DORE

GENIE# 99E

GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	SECOND SIZE	OUTLET SIZE	MANUAL	AUTO		FITTING TIME
DSF035	1 1/2	1 3/4	2 1/2	1 3/4	2 1/4	Υ	Υ		2HRS

^{*} WILL NOT FIT TRIMATIC WITH 360DEGREE 1 PIECE BELLHOUSING

^{*}WILL NOT FIT STD COMMODORE INLET MANIFOLD HEAT RISER FLANGE MUST BE GROUND BACK TO CLEAR HEADERS.



^{*} WILL NOT FIT POWERGLIDE AUTO.

^{*} WILL NOT FIT POWERGLIDE AUTO.

^{*}WILL FIT HK WITH SYNCRO GEARBOX.



8 CYL

COMMODOR	E VB-VK	GENIE#	# 308E				WILDC	AT# 81			
78-85 253-308CI	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		DSF9A	1 5/8	2	2 1/4	Υ	Υ	Υ	Υ		4HRS

*GEN308E 1 5/8 PRIMARY PIPES 2"SECONDARIES. *WILL FIT TURBO 350/400 GEARBOX(GENIE)

сомморо	RE VL	GENIE#	‡ 318E								
86-88 5LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
		DSF9A	1 5/8	2	2 1/4	Υ	Υ	Υ	Υ	Υ	4HRS

COMMODORE VL	GENIE#	# 316E								
GROUP A TRI-Y WALKINSHAW	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
5.0LTR EFI	DSF63	1 5/8	2	2 1/4	Υ	Υ	Υ	Y		4HRS

^{**}DIRECT BOLT-ON FITMENT

COMMODORE VN-VS 5 LTR V8

*PLEASE CHECK STARTER MOTOR FOR LOCATION OF SOLONOID(GENIE ONLY) *PLEASE BE SURE TO ORDER EITHER MANUAL OR AUTO OR DUAL CAT BASES

*MANUAL BASE - GEN31M OR WILDCAT 34M
*AUTO BASE - GEN31A OR WILDCAT 34A
*DUAL CAT BASE - GEN31D OR WILDCAT 34D

NOTE* WILDCAT OR GENIE HEADERS WILL FIT NOT VS SERIES 3 UTE 5.0LTR V8

COMMODORE VN-VR	GENIE#	# 317E				WILDC	AT# 34*			
5LTR V8 TRI-Y STARTER SOLENOID ON SIDE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
WILDCAT FITS EITHER STARTER	DSF63	1 5/8	2	2 1/2	Υ	Υ	Υ	Υ	Υ	4HRS

**DIRECT BOLT-ON FITMENT

*WILL NOT FIT SPEED SENSITIVE VARIABLE RATIO POWER STEERING. *WILDCAT 1 3/4 SECONDARIES

CALAIS VN-VR	GENIE#	# 319E				WILDC	AT# 34*			
STATESMAN	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
5LTR V8 TRI-Y		SIZE	SIZE	FLANGE					SENSOR	TIME
STARTER SOLENOID ON SIDE	DSF63	1 5/8	2	2 1/2	Y	Y	Y	Y	Y	4HRS

**DIRECT BOLT-ON FITMENT *WILL FIT SPEED SENSITIVE VARIABLE RATIO POWER STEERING. *WILL NOT FIT WITH KNOCK SENSOR *WILDCAT 1 3/4 SECONDARIES

COMMODORE VR-VS	GENIE#	# 320E				WILDC	AT# 34*			
5LTR V8 TRI-Y STARTER SOLENOID ON TOP	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
WILDCAT FITS EITHER STARTER	DSF63	1 5/8	2	2 1/2	Y	Y	Y	Y	Y	4HRS

CALAIS VR-VS	GENIE#	# 321E				WILDC	AT# 34*			
STATESMAN STARTER SOLENOID ON TOP	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
	DSF63	1 5/8	2	2 1/2	Υ	Υ	Υ	Υ	Υ	4HRS

^{**}DIRECT BOLT-ON FITMENT *WILL FIT SPEED SENSITIVE VARIABLE RATIO POWER STEERING. *WILL NOT FIT WITH KNOCK SENSOR WILDCAT 1 3/4 SECONDARIES



8 CYL

COMMODORE VT	GENIE#	‡ 322E								
5.0LTR V8	GENIE#	‡ 322SS								
1997-1999 TUNED	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
	DSF63	1 5/8		2 1/4	Υ	Υ	Υ	Υ	Υ	3HRS

COMMODO VU-VY-VZ	ORE VT-	GENIE#	‡ 323E				WILDC	AT# 83			
5.7LTR V8	GEN3	GENIE#	# 323SS				WILDC	AT# 83S	S		
1999-ON	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
		DSF138	1 5/8	2	2 1/2	Υ	Υ	Υ	Υ	Υ	3HRS

*VZ & VY MODELS REQUIRES OXY SENSOR EXTENSION LEADS
*VY SER2 MODELS USE GEN-VY OXY SENSOR EXTENSIONS
*VZ MODELS USE GEN-VZ OXY SENSOR EXTENSIONS

COMMODORE VT- VU-VY	GENIE#	# 007ET									
5.7LTR V8 GEN3 1999-03 TUNED	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1 1/2 PRIMARY PIPES	DSF138	1 1/2"		2 1/2	Υ	Υ	Y	Υ	Υ		3HRS
36INCH LONG PRIMARIES	*FITS SEDANS-UTES-STATESMAN * NOT VZ										

COMMODORE VT- VU-VY	GENIE#	# 001ET											
5.7LTR V8 GEN3 1999-03 TUNED	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME		
1 5/8 PRIMARY PIPES	DSF138	1 5/8		2 1/2	Υ	Υ	Y	Υ	Υ		3HRS		
36INCH LONG PRIMARIES	*FITS SED	*FITS SEDANS-UTES-STATESMAN*NOT VY SER2 OR VZ											

COMMODORE VU-VZ	GENIE#	008ET*				WILDC	AT# 280	*					
5.7LTR V8 GEN3	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	MANDREL	FITTING		
03- TUNED		SIZE	SIZE	FLANGE					SENSOR	BENT	TIME		
1 5/8 PRIMARY PIPES	DSF138	1 5/8		2 1/2	Υ	Υ	Υ	Υ	Υ	Y*	3HRS		
SHORT TUNED HEADER	*FITS SED	*FITS SEDANS-UTES-STATESMAN											
22 INCH PRIMARY"S	*RETAINS ORIGINAL GM-DEAWOO CATS -AND OXY SENSORS IN ORIGINAL POSITION												

*2 1/2 CONNECTING PIPES BOLT FROM CATS BACK TO SYSTEM ALSO AVAILABLE ORDER#

GEN008EC- GENIE CONNECTING PIPE WILD280C-WILDCAT CONNECTING PIPE

BOLTS INFRONT OF CAT



8 CYL

HK-HG CHEV	GENIE#	‡ 115E								
68-71 TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
283-400CI V8	0/10/12/	SIZE	SIZE	SLIP	110712	7,616	7	T,OTELK		TIME
SMALL BLOCK	DSF009	1 5/8	2	2 1/4	Y	Υ		Y		2HRS
	*POWERG	LIDE AUTO I	REQUIRES L	INKAGE MO	DIFICATION	l				
HK-HG	GENIE#	413E								
67-71 TRI-Y 253-308 V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	DSF9A	1 5/8	1 3/4	2	N	Υ	Υ	Υ		2HRS
	*LINKAGE	MAY NEED	MODIFICAT	TIONON COL	UMN CHAN	GE AUTO.	•			
HQ-WB CHEV	GENIE#	418ET								
71-84 TUNED 283-400Cl V8	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
SMALL BLOCK	DSF009	1 5/8		2 1/2	Υ	Υ	Υ	Υ		2HRS
		<u> </u>	l	ı	<u>I</u>	<u> </u>	1	I	<u> </u>	ı
HQ-WB CHEV	GENIE#	‡ 419E				WILDC	AT# 86			
71-84 TRI-Y 283-400Cl V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
SMALL BLOCK	DSF009	1 5/8	2	2	Υ	Υ	Υ	Y		2HRS
	*WILL NOT	FIT COLUM	IN AUTO.	<u> </u>	l		1		I I	
HQ-WB CHEV	GENIE#	# 419ET								
71-84 TUNED 283-400Cl V8	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
SMALL BLOCK	DSF009	1 3/4		2 1/2	Υ	Υ	Y	Y		2HRS
	*WILL NOT	FIT COLUM	IN AUTO.					l		
HT-HG	GENIE#	114ET								
67-71 TUNED 253-308CI V8	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	DSF9A	1 5/8		2 1/2	Y	Υ	Υ	Υ		2HRS
	*WHEN FIT	TING TO CO	LUMN CHAI	NGE AUTO I	JSE LINK KI	T -'114LINK	,			
HQ-WB	GENIE#	412E				WILDC	AT# 44			
71-84 TRI-Y	GENIE#	‡ 412SS								
253-308CI V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	DSF9A	1 1/2"	2	2 1/4	Υ	Υ	Υ	Υ		2HRS
	*WHEN FIT	TING TO CO	LUMN CHAI	NGE AUTO I	JSE LINK KI	T -'114LINK	,	I	ı I	ı
HQ-WB	GENIE#	‡ 214ET								
71-84 TUNED 253-308CI V8	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	DSF9A	1 5/8		2 1/2	Υ	Υ	N	Υ		2HRS
			DATTERN C	l			ı	<u> </u>		•

*WILL NOT FIT TURBO PATTERN GEARBOX USE 414ET



HQ-WB	GENIE#	# 414ET							
71-84 TUNED 253-308CI V8	GASKET	PRIMARY SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
TURBO G/BOX	DSF9A	1 5/8	2 1/4	N	Υ	N	Υ		2HRS

TORANA I	LH-LX	GENIE#	# 413E				WILDC	AT# 89			
74-79 253-308CI	TRI-Y V8	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		DSF9A	1 1/2"	1 3/4	2 1/4	Y	Y	Υ	Y		4HRS

*WILL NOT FIT TURBO PATTERN GEARBOX.
*WILL NOT FIT FORD TOPLOADER GEARBOX.



HONDA




CIVIC ED-I	EG-EH						WILDC	AT# 20			
87-93	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
D16A8			SIZE	SIZE	SLIP					SENSOR	TIME
SOHC-DOHC-16V		EG245	1 1/2"	1 3/4	2	Y	Υ	Y	Y	Υ	2hrs

CIVIC EK	K-EJ	GENIE#	£ 53519	5							
95-	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
B16A2			SIZE	SIZE	FLANGE					SENSOR	TIME
SOHC- VETEC		EG249	1 5/8	2	2 1/4	Y	Y	Y	Y	Y	2hrs

**DIRECT BOLT-ON FITMENT

HRV							WILDC	AT# 279				
97-	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	PRIMARY	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
1.6LTR			GENIE	SIZE	FLANGE	WILDCAT					SENSOR	TIME
VETEC		EG245	1 5/8	2	2 1/4	1 1/2	Υ	Y	Y	Y	Υ	3hrs

**DIRECT BOLT-ON FITMENT





HYUNDAI

ACCENT							WILDC	AT# 55				
2000- 1.5LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
DOHC 16V		DSF152	1 5/8	1 3/4	2 1/4	Y	Υ	Y	Y	N		2hrs
		*Cat needs	to be replac	ed and relo	cated.& Req	uires Oxy se	ensor nut an	d plug				
98145.451		GENIE#	# 108E			•	WILDC	AT# 11*				
85-94 1.3-1.5LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	EGR FIT	FITTING TIME
Sohc		DSF156	1 1/2"	1 3/4	2	Υ	Υ	Υ	Y	Υ	*	2hrs
		*Sohc-8V-1	win Siames	e-Rond Ports	s-MPI *Us	se WILDCAT	14 if vehicle	fitted with E	GR			
EXCEL X3							WILDC	AT# 131				
94-97 1.5LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
Sohc 12V		DSF136	1 1/2"	1 3/4	2	Υ	Υ	Y	Υ	Υ		2hrs
		*Sohc-12V-	Spread Bore	e-Round Por	t- EFI							
EXCEL X3						Ī	WILDC	AT# 55				
98- 1.5LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
Dohc-16V		DSF152	1 5/8	1 3/4	2 1/4	Υ	Υ	Υ	N	Υ		2hrs
		*Dohc-16V-	Spread Bor	e-Round Por	t- EFI							
LANTRA							WILDC	AT# 15				
1996- 2.0LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
Dohc-16V		HTG541	1 5/8	1 3/4	2	Y	Y	Y	Υ	Y		2hrs
		*Dohc-16V-	-EFI									
"S"COUPE			Γ	Г		Γ	WILDC	AT# 11	l			
90-95 1.5LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
		DSF156	1 1/2"	1 3/4	2	Y	Y	Y	Y	Y		2hrs
"COUPE"			Ι			ı	WILDC	AT# 15	l			
96- 2.0LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
		DSF137	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ	Υ		2hrs
TIBURON							WILDC	AT# 274				
2002- V6	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME





CHEROKE	E						WILDC	AT# 91			
94-	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
4.0LTR			SIZE	SIZE	SLIP					SENSOR	TIME
inc GRAND C	CHEROKEE	HTG529	1 1/2"	2	2 1/2	Υ	Υ	Υ	Υ	Υ	7hrs

WRANGLE	ER-RENEGA	DE					WILDC	AT# 23			
96- 4.0LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
		HTG529	1 1/2"	2	2 1/2	Υ	Y	Υ	Y	Y	7hrs

^{*} CON-PIPE WRAPS AROUND FRONT OF SUMP-TO GIVE MORE GROUND CLEARANCE



SPORTAG	Е						WILDC	AT# 256			
97-99	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
MC			SIZE	SIZE	FLANGE					SENSOR	I IIVIE
2.0LTR		NA	1 1/2"	1 3/4	2	Υ	Υ	Y	Υ	Υ	2hrs

^{**}DIRECT BOLT-ON FITMENT

MINI

N	MINI				WIL	DCAT#	234		
	1961- TUNED	GASKET	PRIMARY SIZE	OUTLET FLANGE	MANUAL	AUTO			FITTING TIME
	SHORT BRANCH	EM40	1 3/8"	2	Y	Υ			3hrs

*ALL MODELS EXCEPT COOPER "S"

MINI WILDCAT# 235													
1961- TRI-Y 998cc-1275cc	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO					FITTING TIME		
LONG BRANCH	EM40	1 3/8"	1 1/2	2	Υ	Y					3hrs		

^{*}ALL MODELS.



MAZDA

UNIVERSAL RWD						WILDC	AT# 67			
1.5-2.0ltr TUNED SQUARE PORT	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	DSF125	1 1/2"		2 1/4	Υ	Υ				2hrs
UNIVERSAL RWD						WILDC	AT# 66			
1.6-2.0ltr TUNED ROUND PORT	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	EM92	1 1/2"		2 1/4	Υ	Υ				2hrs
323 FWD						WILDC	AT# 78			
81-85 1.3-1.5LTR	GASKET	PRIMARY GENIE	PRIMARY WILD	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	EGR CON	AIR PUMP*	FITTING TIME
	DSF047	1 3/8	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	2hrs
323 & ASTINA						WILDC	AT# 246			
1990- 1.8LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
SOHC 16V EFI	EG261	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2hrs
323 & ASTINA	GENIE#	‡ 179E				WILDC	AT# 9			
OCT89-JUNE94 1.8LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
DOHC 16V EFI	EG262	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Y*	2hrs
	**DIRECT E	BOLT-ON FIT	MENT (GE	NIE ONLY)		*WILDCAT [DOESN'T HA	VE OXY FIT	TING	
323 & ASTINA						WILDC	AT# 230			
1998-2002 1.8LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
DOHC 16V EFI	HTG547	1 5/8	2	2 1/4	Υ	Υ	Υ	Υ	Υ	2hrs
	**DIRECT E	BOLT-ON FIT	MENT							
323 & ASTINA						WILDC	AT# 252			
2002- 2.0LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
DOHC 16V EFI	EG261	1 5/8	2	2 1/4	Y	Υ	Υ	Y	Y	2hrs

^{**}DIRECT BOLT-ON FITMENT

MAZDA



COC EMD		OFNIE	4 6065								
626 FWD		GENIE#	# 626E	Ī				I			
83-90 2.0LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP*	FITTING TIME
		EM93	1 1/2"	1 3/4	2	Y	Y	Y	Y	Y*	2hrs
929							WILDC	ΔT# 37			
F2-F8-FE 2.0LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
PASSENGER	SIDE EXIT	EM93	1 1/2"	1 3/4	2 1/4	Υ	Υ	Υ	Υ		2hrs
B2600							WILDC	AT# 73			
86- 2.6LTR SOI	TRI-Y HC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
ASTRON M	IOTOR	DSF036	1 5/8	1 3/4	2 1/4	Υ	Υ	Υ			1hrs
B2600	2/4WD	GENIE#	# 630E				WILDC	AT# 46			
1991- 2.6LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
SOHC 12V EF	1	EG71	1 5/8	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ	1hr
		**DIRECT E	BOLT-ON FIT	MENT	Wildcat 1	1/2 prima	ry	•			
MX5		GENIE#	54569 (0							
89-92 1.6LTR	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
DOHC-16V-EF	=1	DSF758	1 1/2"	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2hrs
		**DIRECT E	BOLT-ON FIT	MENT				•			
RX3-13B							WILDC	AT# 272			
	TUNED	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		EM80	2"		2 1/2	Υ	Υ	Υ	Υ		2hrs
RX4-RX5-R	X7 13B						WILDC	AT# 92			
	TUNED	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		EM80	2"		TWIN 2	Y	Υ	Υ	Υ		2hrs
RX7 12A							WILDC	AT# 93			
	TIMES	LOVOREE	DOMARON	l	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	1	FITTING
	TUNED	GASKET	PRIMARY SIZE		FLANGE	WAINOAL	AUTO	AIN-CON	1731LLIX		TIME



MG

MGTC						WILDC	AT# 61			
1.8LTR	TUNED	GASKET	PRIMARY SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
		NA	1 1/2"	2	Υ	Υ	Υ	Υ		2hrs





CANTER 449E						WILDC	AT# 129				
4D34 TRI-Y 1991-95	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
3.9-4.2LTR	NA	1 5/8	1 3/4	2 1/4	Υ	Υ	Υ	Υ			2HRS
		•		•	•	•	•		•		
COLT RA						WILDC	AT# 11				
4G12 TRI-Y 1.6LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
	DSF156	1 1/2"	1 3/4	2	Υ	Υ	Υ	Υ			2HRS
	*WILL NEE	D SLIGHT N	IODIFICATIO	N ON SECO	NDARY PIPI	ES TO FIT.		I			I
GALANT GSR	GENIE#	# 340E									
HG-HH TRI-Y 89-93 EFI	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.0LTR DOHC 16V	DSF137	1 3/4	2	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
		•		•	•	•		•	•		
L200 MB-MD						WILDC	AT# 136				
2WD-4WD TRI-Y 83-85	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	PRIMARY WILD	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
4G62-63	DSF49	1 5/8	1 3/4	2 1/4	1 1/2	Υ	Υ	Υ	Υ	Υ	2HRS
		<u> </u>									
L300 SB-SF						WILDC	AT# 19				
2WD-4WD TRI-Y 79-87	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	PRIMARY WILD	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP	FITTING TIME
4G62-63	DSF49	1 5/8	1 3/4	2	1 1/2	Υ	Υ	Υ	Υ	Y*	2HRS
		•	•	•		•			•		
L300 SF-SJ	GENIE#	# 341E				WILDC	AT# 94				
2WD-4WD TRI-Y 1987-	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	PIPE SIZE WILD	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
4G64 2.0-2.4LTR	DSF49	1 5/8	1 3/4	2	1 1/2	Υ	Υ	Υ	Y	Υ	2HRS
	**DIRECT E	BOLT-ON FIT	ГМЕНТ			SHORTE	R AND DI	FERENT	ANGLE TO	W95	
L300 SF-SJ LWB						WILDC	AT# 95				
2WD-4WD TRI-Y 1987-	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
4G64 2.0-2.4LTR	DSF49	1 1/2"	1 3/4	2	Υ	Υ	Υ	Υ	Υ		2HRS
	**DIRECT E	BOLT-ON FIT	ГМЕНТ	. Suits Lon	g Wheel Bas	se.		*3 OXY F	TITINGS SU	JPPLIED	
L300 SF-WA LWB						WII DC	AT# 96				
2WD-4WD TRI-Y 1992	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
			-				-				

1 5/8 LATE MODEL SPREAD BORE PORTS

2

EG288

4G64 2.4LTR

Υ

2 1/4

2HRS



LANCER CA-CC	GENIE#	# 108E				WILDC	AT# 14			
89-96 TRI-Y 1.5LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
SOHC-8V-12V-CARB-EFI	DSF156	1 1/2	1 3/4	2	Y	Υ	Υ	Υ	Y	2HRS
LANCER CA-CC						WILDC	AT# 11			
96-2000 TRI-Y 1.5LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
SOHC-8V-12V-EFI	DSF156	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2HRS
LANCER CC						WILDC	AT# 233			
92- TRI-Y 1.8LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
4G93 SOHC 16V EFI	EG302	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ	Y	2HRS
LANCER						WILDC	AT# 250			
2002- TRI-Y 2.0LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
DOHC 16V EFI	EG302	1 1/2	1 3/4	2	Y	Y	Y	Y	Y	2HRS
MAGNA TM-TR						WILDC	AT# 56			
85-96 TRI-Y 4G54 2.6LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
CARBY - EFI	DSF36	1 5/8	2	2	Υ	Υ	Y	Υ	Y	2HRS
MAGNA V6						WII DC	AT# 282	,		
96- TRI-Y 3.0LTR	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
EFI	EG129	1 3/4	2 1/4	2 1/2	Y	Υ	Y	Y	Y	
	**DIRECT E	BOLT-ON FIT	MENT		*INCLUDES		D 2 FLEX JO	-		
MAGNA-VERADA V6 96- TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	WILDC AUTO	AT# 245 AIR-CON	P/STEER	OXY	FITTING
3.5LTR		SIZE	SIZE	FLANGE					SENSOR	TIME
EFI	EG129	1 3/4	2 1/4	2 1/2	Y	Y	Y	Y	Y	3HRS
MIRAGE CE	GENIE#	# 108E				WILDC	AT# 11			
1996- TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
1.5LTR	O NONE!	SIZE	SIZE	SLIP		7.0.0				TIME



PAJERO 4 CYL

PAJERO N	NA-NH					WILDC	AT# 73				
83-86 4WD	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
2-2.6LTR		DSF36	1 5/8	2	2 1/4	Y	Υ	Y	Y		2HRS

*FOR ND MODEL WITH CAT CONVERTER, OUTLET WILL NEED MODIFICATION TO FIT.

PAJERO I	NE-NF						WILDC	AT# 98			
87-ON 4WD	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP*	FITTING TIME
2.6LTR		DSF36	1 5/8	1 3/4	2 1/4	Y	Υ	Y	Υ	Y*	2HRS

*REQUIRES S BEND TO BE FABRICATED TO MATCH SYSTEM.

PAJERO EIO **TRI-Y*** GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER OXY SENSOR** SIZE SIZE SLIP **TRI-Y*** GASKET PRIMARY 2ND PIPE OUTLET MANUAL AUTO AIR-CON P/STEER OXY SENSOR** **TRI-Y** SENSOR**												
		GASKET				MANUAL	AUTO	AIR-CON	P/STEER	-		FITTING TIME
	2.0LTR	NA	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ	N		2HRS

PAJERO 6 CYL

PAJERO	NF-NG	GENIE#	# 347E				WILDC	AT# 283	}		
88-90 4WD	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3.0LTR V6 ROUNDP		DSF65	1 5/8	2	2 1/4	Y	Y	Y	Y	Y	4HRS

**DIRECT BOLT-ON FITMENT

PAJERO NH	GENIE#	# 348E				WILDC	AT# 284			
91-93 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3.0LTR V6 ROUNDPORT	DSF65	1 5/8	2	2 1/4	Υ	Y	Y	Y	Y	4HRS

**DIRECT BOLT-ON FITMENT

	PAJERO NK	GENIE#	# 3410E								
	96-00 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
- 1	3.0LTR V6 OVAL PORT	N/A	1 5/8	2	2 1/4	Υ	Y	Y	Y	Y	4HRS

**DIRECT BOLT-ON FITMENT

PAJERO NI	K					WILDC	AT# 247	1			
96-2000	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3.5LTR		EG129	1 3/4	2	2 1/4	Y*	Y*	Υ	Υ	Υ	4HRS

CAT CONV. ON DRIVERS SIDE **DIRECT BOLT-ON FITMENT *ORDER 247A BASE FOR AUTOMATIC MODELS *ORDER 247M BASE FOR MANUAL MODELS

PAJERO NJ							WILDC	AT# 132			
2000-	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3.5LTR		EG129	1 3/4	2	2 1/4	Y	Y	Y	Y	Y	4HRS

CAT CONV. ON PASSENGER SIDE **DIRECT BOLT-ON FITMENT



CHALLEN	NGER						WILDC	AT# 273	M		
2000- 4WD	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3.0LTR		EG129	1 5/8	2	2 1/4	Υ	N	Υ	Υ	Υ	4HRS
		**DIRECT E	BOLT-ON FIT	MENT	*MANUAL	ONLY.					
SIGMA-S	CORDION						WII DC	Λ Τ # 02			

SIGMA-SC	ORPION						WILDC	AT# 98			
77-87	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	FITTING
GE-GH			SIZE	SIZE	FLANGE					SENSOR	TIME
2-2.6LTR		DSF36	1 5/8	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ	2HRS

TRITON 4C	YL						WILDC	AT# 73			
83-91	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
ME-MH			SIZE	SIZE	FLANGE					SENSOR	I IIVIC
2.6LTR 2-4W	'D	DSF36	1 5/8	2	2 1/4	Υ	Y	Υ	Υ	Υ	2HRS

TRITON 4C	YL 4WD						WILDC	AT# 257	•		
97-	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
4M40			SIZE	SIZE	FLANGE						TIME
2.8LTR DIES	EL		1 1/2	1 3/4	2	Y	Y	Y	Y		2HRS

TRITON 6CYL	GENIE#	# 349E								
90-96 TRI-Y MH-MJ 4WD	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3.0LTR SOHC 12V	DSF65	1 5/8	2	2 1/4	Y	Υ	Y	Υ	Y	4HRS

ROUND PORT

TR	ITON 6CYL 2-4WD	GENIE#	# 3411E				WILDC	AT# 124				
199	96- TRI-Y	GASKET	PRIMARY	PRIMARY	OUTLET	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY
MK	(-		GENIE	WILD	FLANGE	SIZE	FLANGE					SENSOR
3.01	LTR SOHC 24V	EG129	1 5/8	1 1/2	2	2 1/4	Υ	Υ	Υ	Υ	Y	4HRS

GENIE MK MODEL ONLY



DATSUN 1200-120Y	GENIE#	# 120ET					1				
SUNNY TUNED 1000CC-1500CC	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL						FITTING TIME
	DSF16	1 3/8		2 1/4	Υ						1HRS
				•			•				
1600-180B-200B	GENIE#	‡ 210EE									
STANZA-BLUEBIRD 68-82 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	EGR CON	AUTO CHOKE		FITTING TIME
1.6-2.0LTR	DSF16	1 5/8	2	2 1/4	Υ	Υ	N	Υ	Υ		2HRS
	*WILL NOT	FIT SSS TW	IN CARBS	*WILL NO	T FIT BLUE	BIRD AUTO	•			•	
BLUEBIRD-GAZELLE						WILDC	AT# 13				
84-86 TRI-Y CA20	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
2.0LTR	EG56	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ			2HRS
NAVARA 4WD D21						WILDC	AT# 60				
85-92 TRI-Y Z20-Z24	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	AIR PUMP		FITTING TIME
2.0LTR SQUARE PORT	DSF70	1 5/8	1 3/4	2 1/4	Υ	Υ	Y	Υ	Y*		2HRS
NAVARA 2WD D21						WILDC	AT# 59				
NAVARA 2WD D21 85-92 TRI-Y Z20-Z24	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	WILDC,	AT# 59	P/STEER	EGR CON		FITTING TIME
85-92 TRI-Y	GASKET DSF70				MANUAL			P/STEER Y			
85-92 TRI-Y Z20-Z24		SIZE	SIZE	SLIP		AUTO	AIR-CON		CON		TIME
85-92 TRI-Y Z20-Z24		SIZE	SIZE	SLIP		AUTO	AIR-CON		CON		TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT		SIZE	SIZE	SLIP		AUTO Y	AIR-CON		CON		TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y	DSF70	SIZE 1 5/8 PRIMARY	SIZE 1 3/4 2ND PIPE	SLIP 2 1/4 OUTLET	Y	Y WILDC	AIR-CON Y AT# 58	Y	CON Y EGR		TIME 2HRS FITTING
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E	DSF70	SIZE 1 5/8 PRIMARY SIZE 1 5/8	SIZE 1 3/4 2ND PIPE SIZE	2 1/4 OUTLET SLIP	Y	Y WILDC	AIR-CON Y AT# 58 AIR-CON	Y P/STEER	Y EGR CON		TIME 2HRS FITTING TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E	DSF70 GASKET EG515	SIZE 1 5/8 PRIMARY SIZE 1 5/8	SIZE 1 3/4 2ND PIPE SIZE	2 1/4 OUTLET SLIP	Y	Y WILDC	AIR-CON Y AT# 58 AIR-CON N	Y P/STEER	Y EGR CON		TIME 2HRS FITTING TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT	DSF70 GASKET EG515	SIZE 1 5/8 PRIMARY SIZE 1 5/8	SIZE 1 3/4 2ND PIPE SIZE	2 1/4 OUTLET SLIP	Y	Y WILDC AUTO Y	AIR-CON Y AT# 58 AIR-CON N	Y P/STEER	Y EGR CON		TIME 2HRS FITTING TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT NAVARA 4WD D21 85-90 TRI-Y	DSF70 GASKET EG515 *SOHC 12V	PRIMARY SIZE 1 5/8 PRIMARY PRIMARY	SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE	SLIP 2 1/4 OUTLET SLIP 2 1/4 OUTLET	Y MANUAL Y	AUTO Y WILDC AUTO Y WILDC	AIR-CON Y AT# 58 AIR-CON N	Y P/STEER Y	CON Y EGR CON Y		TIME 2HRS FITTING TIME 2HRS FITTING
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT NAVARA 4WD D21 85-90 TRI-Y KA24E	GASKET EG515 *SOHC 12V	PRIMARY SIZE 1 5/8 PRIMARY SIZE 1 5/8 1 5/8	SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	SLIP 2 1/4 OUTLET SLIP 2 1/4 OUTLET SLIP	Y MANUAL Y MANUAL	AUTO Y WILDC AUTO Y WILDC AUTO	AIR-CON Y AT# 58 AIR-CON N AT# 57 AIR-CON	Y P/STEER Y P/STEER	CON Y EGR CON Y EGR CON		FITTING TIME FITTING TIME FITTING TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT NAVARA 4WD D21 85-90 TRI-Y KA24E	GASKET EG515 *SOHC 12V GASKET EG515	PRIMARY SIZE 1 5/8 PRIMARY SIZE 1 5/8 1 5/8	SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	SLIP 2 1/4 OUTLET SLIP 2 1/4 OUTLET SLIP	Y MANUAL Y MANUAL	AUTO Y WILDC AUTO Y WILDC AUTO Y	AIR-CON Y AT# 58 AIR-CON N AT# 57 AIR-CON	Y P/STEER Y P/STEER Y	CON Y EGR CON Y EGR CON		FITTING TIME FITTING TIME FITTING TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT NAVARA 4WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT	GASKET EG515 *SOHC 12V GASKET EG515	PRIMARY SIZE 1 5/8 PRIMARY SIZE 1 5/8 1 5/8	SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE	SLIP 2 1/4 OUTLET SLIP 2 1/4 OUTLET SLIP	Y MANUAL Y MANUAL	AUTO Y WILDC AUTO Y WILDC AUTO Y	AIR-CON Y AT# 58 AIR-CON N AT# 57 AIR-CON Y	Y P/STEER Y P/STEER Y	CON Y EGR CON Y EGR CON		FITTING TIME FITTING TIME FITTING TIME
85-92 TRI-Y Z20-Z24 2.0LTR SQUARE PORT NAVARA 2WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT NAVARA 4WD D21 85-90 TRI-Y KA24E 2.4LTR ROUND PORT NAVARA 4WD DIESEL D21-22 TRI-Y	GASKET EG515 *SOHC 12V GASKET EG515 *SOHC 12V	PRIMARY SIZE 1 5/8 PRIMARY SIZE 1 5/8 PRIMARY SIZE 1 5/8 PRIMARY	SIZE 1 3/4 2ND PIPE SIZE 1 3/4 2ND PIPE SIZE 1 3/4	SLIP 2 1/4 OUTLET SLIP 2 1/4 OUTLET SLIP 2 1/4 OUTLET OUTLET	Y MANUAL Y MANUAL Y	AUTO Y WILDC AUTO Y WILDC AUTO Y	AIR-CON Y AT# 58 AIR-CON N AT# 57 AIR-CON Y	Y P/STEER Y P/STEER Y	CON Y EGR CON Y EGR CON		FITTING TIME 2HRS FITTING TIME 2HRS FITTING TIME



PATROL G	60 MQ	GENIE#	# 280E				WILDC	AT# 179			
81-87 L28	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
2.8LTR PETR	ROL	DSF046	1 5/8	1 3/4	2 1/2	Υ	Υ	Υ	Υ		2hrs

PATROL 160 MQ GENIE# 290E												
81-87	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER			FITTING
SD33			SIZE	SIZE	SLIP							TIME
3.3LTR DIE	ESEL	DSF54	1 5/8	1 3/4	2 1/4	Υ		Y	Υ			2hrs

PATROL GQ	Y60	GENIE#	295/29	6E			WILDCAT# 33					
87-97 TB42	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
4.2LTR PETROL DSF54 1 3/4 2						Υ	Υ	Υ	Υ	Υ		2hrs
CADDY EEL		***************************************	TING TO FF									

CARBY - EFI *WHEN FITTING TO EFI CAT CONVERTOR MODEL USE #GEN296E IS FLANGED

PA	TROL GQ Y60	GENIE#	# 295E		WILDCAT# 33							
87 -	••	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
4.2	LTR DIESEL	DSF73	1 3/4	2	2 1/2	Υ	Y	Υ	Υ	Y		2hrs

PATROL (GQ Y60	WILDCAT# 198										
89-97 RB30	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
3.0LTR MO	TOR	EM107	1 1/2	1 3/4	2 1/4	Y	Υ	Y	Υ	Υ		2hrs
CARBY - E	FI											

PATROL GU Y61	# 297E	WILDCAT# 33									
1997- TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	OXY	l I	TTING
TB45-TD45		SIZE	SIZE	SLIP					SENSOR]	TIME
4.5LTR PETROL	DSF73	1 5/8	1 3/4	2 1/4	Υ	Y	Y	Υ	Y	2	2hrs
4 5LTR DIESEL											

PATHFINDE	ER D21						WILDC	AT# 60				
85-92 4WD	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	AIR PUMP	FITTING TIME
2.4LTR Z24		DSF70	1 5/8	1 3/4	2 1/4	Y	Y	Y	Y	Υ	Y	2hrs



PINTARA RI	WD						WII DC	AT# 228				
86-89	TRI-Y			0112 2122						0)01		======
R31 CA20E	I KI- I	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.0LTR		DSF98	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ		1HRS
		**DIRECT E	BOLT-ON FIT	MENT								
PINTARA FV	WD						WILDC	AT# 68S	S			
89-93 U12 CA20E	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE*	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.0LTR STAIN STEEL	NLESS	DSF98	1 1/2	1 3/4	2	Υ	Υ	Υ	Y	Y		2HRS
PINTARA FV	WD						WILDC	AT# 69				
89-93 U12 KA24E	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.4LTR		EG515	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
		*12V EFI										
PRAIRIE							WILDC	AT# 107				
82-87 M10 E15	TUNED	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
1.5LTR		EG84	1 1/2		2	Υ	Υ	Υ	Υ			2HRS
PULSAR N1	12						WILDC	AT# 107				
80-87 E13-E15	TUNED	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
1.3-1.5LTR		EG84	1 1/2		2	Υ	Υ	Υ	Υ			2HRS
PULSAR N1	13	GENIE#	465E				WILDC	AT# 209				
87-91 CAMTECH	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6-1.8LTR		DSF81	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
		*SOHC EFI		*WILDCAT	1 5/8 PRIMA	RY PIPE 2"S	ECONDAR)	/ PIPE				
PULSAR N1	14 1.6	GENIE#	468E				WILDC	AT# 108				
90-95 GA16DE	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR		EG279	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Y		2HRS
		*DOHC 16\	1					1		1	1	
PULSAR N1	14 2.0	GENIE#	469E				WILDC	AT# 109				
90-95 SR20DE	TRI-Y	GASKET	PRIMARY GENIE	2ND PIPE SIZE	OUTLET SLIP		MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
2.0LTR DOHO	EEI	EG253	1 3/4	2	2 1/2		Υ	Υ	Υ	Υ	Υ	2HRS

*DOHC 16V WILDCAT 1 5/8 PRIMARY, 1 3/4 SECONDARY, 2 1/4 OUTLET



PULSAR N15						WILDC	AT# 110				
96-2000 TRI-Y GA16DE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR DOHC EFI	EG279	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
	*NOT DIRE	CT FIT -CUT	AND JION-	NO FLEX SI	JPPLIED						
PULSAR N15	GENIE#	# 013E				WILDC	AT# 110	CP			
96-2000 TRI-Y GA16DE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR DOHC EFI	EG279	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
	*DIRECT F	IT INCLUDE:	S CONNECT	ING PIPE TO	CAT.AND F	LEX					
PULSAR N15	GENIE#	# 469E				WILDC	AT# 239				
95-2000 TRI-Y SR20DE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE		MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
2.0LTR DOHC 16V EFI	EG253	1 3/4	2	2 1/2		Υ	Υ	Υ	Υ	Υ	2HRS
	WILDCAT 1	I 5/8 PRIMAI	RY, 1 3/4 SEC	CONDARY, 2	2 1/4 OUTLE	Т					
2000- TRI-Y QG16DE-QG18DE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR-1.8LTR	EG279	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
PULSAR N16	GENIE#	# 005E									
2000- TRI-Y QG16DE-QG18DE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR-1.8LTR	EG279	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Y		2HRS
	*DIRECT F	IT TO CAT IN	ICLUDES FL	.EX							
SILVIA					1	WILDC	AT# 251				
SR20 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.0LTR DOHC EFI	DSF135	1 5/8	2	2 1/4	Υ	Υ	Υ	Υ	Y		2HRS
	*DIRECT F	IT-BOLTS TO	CAT								
SKYLINE R31	GENIE#	# 216E*			_	WILDC	AT# 103				
86-90 TRI-Y RB30	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
3.0LTR EFI	DSF59	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ	Υ		1.5HR
	*FOR GENI	E USE CON	NECTOR #G	EN216AD T	O JION TO	CAT.					
URVAN E23-E24						WILDC	AT# 151				
81-93 TRI-Y Z20-Z24	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
2.0-2.4LTR	DSF70	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ		2HRS
240Z-260Z	GENIE#	# 305E									
1970-ON TRI-Y L SERIES 6CYL	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON				FITTING TIME
				i	1	1	1	1	1	1	

2HRS

2 1/4

2.4-2.8LTR

DSF46

1 5/8

2

PROTON



PERSONO- SATRIA	-WIRA-	GENIE#	# 108E				WILDC	AT# 11			
93-2000 SOHC	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
1.5LTR		DSF156	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ	2hrs

SATRIA GTI						WILDC	AT# 250			
96- TRI-Y DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
1.8LTR 2DOOR	EG302	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Υ	2hrs

^{*}MAY NEED DENTING ON SECONDARY CONE*

RANGE ROVER

LANDROV	'ER						WILDC	AT# 182			
1958- 4CYL SER	TRI-Y 2, 2A, 3	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
88-109		EM43	1 1/2	1 3/4	2	Υ	N				2.5hrs

LANDRO	/ER 110						WILDC	AT# 285			
84-95 * V8	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
3.5LTR		DSF43	1 3/8	1 5/8	2 1/4	Y	Y	Y	Y		2.5hrs

*NO Y - PIECE *DOES NOT FIT WITH POWER TAKE OFF WINCH

LANDROV	'ER 110		(GENIE#	325E						
84-95* V8	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
3.5LTR		DSF43	1 3/8	1 5/8	2 1/4	Υ	Υ	Y	Υ		2.5hrs

*INCLUDES Y-PIECE *DOES NOT FIT WITH POWER TAKE OFF WINCH

LANDROV	ER DISCOV	ERY					WILDC	AT# 286			
94-2004 EFI V8	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
3.9LTR- 4ltr		DSF43	1 3/8	1 5/8	2 1/4	Υ	Υ	Υ	Υ		2.5hrs

*NO Y - PIECE *4 LTR MODELS REQUIRE AFTERMARKET CATS

LANDROV	ER DISCOV	ERY	(GENIE#	326E						
94-2004	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER		FITTING
EFI V8			SIZE	SIZE	FLANGE						TIME
3.9LTR-4ltr		DSF43	1 3/8	1 5/8	2 1/4	Υ	Υ	Υ	Υ		2.5hrs

*INCLUDES Y-PIECE

^{*4} LTR MODELS REQUIRE AFTERMARKET CATS

ROCSTA

ROCSTA 4	WD						WILDC	AT# 226	i		
DIESEL	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
4CYL		EG226	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ		2hrs

SUZUKI

SIERRA SJ410	_					WILDC	AT# 7			
80-85 TRI-Y 4WD	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
1000CC 4CYL	DSF40	1 1/2	1 5/8	1 3/4	Υ	Υ	Υ	Υ		1hrs
	'									
SIERRA SJ413	GENIE	# 113E				WILDC	AT# 5			
85-96 TRI-Y 4WD	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP		MANUAL	AUTO	AIR-CON	P/STEER	FITTING TIME
1.3LTR 4CYL	DSF58	1 3/8	1 1/2	2		Υ	Υ	Υ	Υ	1hr
	**NOT FIT	COIL SPRIN	IG SUSPENS	SION	*Wildcat 1	1/2 Primary,	1 3/4 secon	dary 2' outle	t	
SWIFT SF413						WILDC	AT# 17			
1989- TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR CON	FITTING TIME
1.3LTR	DSF116	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ*	2hrs
	**DIRECT	BOLT-ON FIT	MENT		*USE WILD	17X FOR M	ODEL WITH	EGR.		
SWIFT GTI	GENIE	# 57519 (0			WILDC	AT# 10			
1989- TRI-Y SF413	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR CON	FITTING TIME
G13B 1.3DOHC EFI	DSF116	1 1/2	1 3/4	2	Υ	Y	Υ	Y	Y*	2hrs
	**DIRECT	BOLT-ON FIT	MENT							
VITARA 4WD	GENIE	# 116E				WILDC	AT# 195			
88-96 TRI-Y SE416	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
G16A 1.6LTR CARB	DSF58	1 3/8	1 5/8	2 1/4	Υ	Υ	Υ	Υ		1hrs
	**DIRECT	BOLT-ON FIT	MENT	*CARB ON	LY					
VITARA 4WD						WILDC	AT# 114			
91- TRI-Y SE416	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME

**DIRECT BOLT-ON FITMENT *EFI ONLY



CAMRY	GENIE#	# 106E								
83-87 TUNED SV11	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
2S-ELC 2.0LTR SOHC	EG74	1 1/2		2 1/4	Υ	Υ	Υ	Υ		2.5hrs
	*MANIFOL	D MOUNTS	TO REAR OF	MOTOR						
CAMRY						WILDC	AT# 115			
87-91 TRI-Y 2.0ltr 3sfe DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
	EG233	1 5/8	1 3/4	2 1/4	Y	Υ	Υ	Y		2.5hrs
CELICA	GENIE#	# 150ET			T		T			
71-80 TUNED TA10-12-22-23	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON			FITTING TIME
2T/3T 1.6-1.8LTR	DSF37	1 1/2		2	Y	Υ	Y			2hrs
CELICA	GENIE#	‡ 240E			T		T			
75-84 TRI-Y RA23-28-40-RA60	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	EGR CON	AIR PUMP	FITTING TIME
18RC 2.0LTR SOHC	DSF38	1 5/8	1 3/4	2	Y	Υ	Y	Y	N	2hrs
	*WILL NOT	FIT AIR CO	NDITIONING	FITTED ON	EXHAUST S	SIDE OF MO	TOR.			
CELICA	GENIE#	208E			ı		ı			
86-89 TRI-Y ST162-3SGELC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	EGR CON		FITTING TIME
2.0LTR DOHC EFI	EG233	1 5/8	2	2 1/4	Y	Υ	Y	Y		2hrs
	*SX MODE	L ONLY			*And MR 2	with 3sge				
CELICA	GENIE#	206E			ı		T			
90-94 TRI-Y ST184-5SFE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
2.2LTR	EG233	1 5/8	2	2 1/4	Y	Υ	Y	Υ		2hrs
	*SX MODE	L ONLY *MI	UST REPLAC	CE CAT AND	REFIT FLE	X				
COROLLA						WILDC	AT# 116			
98145.451 TUNED KE20-KE70	GASKET	PRIMARY SIZE		OUTLET SLIP		MANUAL	AUTO	AIR-CON		FITTING TIME
3K-4K	EM30	1 3/8		2		Υ	Υ	Υ		2hrs
COROLLA T18	GENIE#	# 150ET								
80-83 TUNED 2T-2TB	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON			FITTING TIME
1.6-1.8LTR	DSF37	1 1/2		2	Υ	Υ	Υ			2hrs

COROLLA AE82	GENIE#	# 103E									
86-92 TRI-Y 4AGE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR DOHC 16V EFI	EG166	1 1/2	1 3/4	2	Y	Υ	Υ	Υ	Y		2hrs
COROLLA AE90-92-1	01					WILDC	AT# 35				
86-98 TRI-Y 4AFE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR DOHC EFI	EG268	1 1/2	2	2 1/4	Y	Υ	Υ	Y	Y		2hrs
	*WILL FIT	CARB MODE	L WITH MO	DIFICATION.	ı						
	*WILL NOT	FIT 4WD W	AGON *M	UST CUT AN	ND WELD FL	EX IN					
COROLLA AE95 4WD						WILDC	AT# 12				
88-95 TRI-Y 4WD WAGON 4AFE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.6LTR DOHC	EG268	1 1/2	1 3/4	2 1/4	Υ	Υ	Υ	Υ	Y		2hrs
	*MUST CU	T AND WELI	FLEX IN.								
COROLLA AE93-AE10	01					WILDC	AT# 227	,			
94-98 TRI-Y 7AFE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.8LTR DOHC EFI	EG268	1 1/2	1 3/4	2	Y	Y	Υ	Y	Y		2hrs
	*MUST CU	T AND WELI	FLEX IN.								
COROLLA VVTI						WILDC	AT# 253				
2002- TRI-Y 1zzfe	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR		FITTING TIME
1.8LTR DOHC V VTI		1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Y		2hrs
	**DIRECT I	BOLT-ON FIT	MENT	*Manifold f	rom rear of						
CORONA	GENIE#	# 240E				WILDC	AT# 118				
74-81 TRI-Y RT104-118	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		AIR PUMP	FITTING TIME
18R 2.0LTR		1 1/2	1 3/4	2	Y	Υ	Y	Y	Y	Υ*	2hrs
	*WHEN FIT	TING TO VE	HICLE WITH	AIR PUMP	USE GEN24	EP OR WIL	.D118E.				
CORONA		_				WILDC	AT# 117				
83-86 TRI-Y ST141	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER		AIR PUMP	FITTING TIME
2S 2.0LTR	EG74	1 1/2	1 3/4	2	Y	Υ	Υ	Y	Y	Y*	2hrs
DYNA						WILDC	AT# 152				
5R TUNED ROUND PORT	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME

2hrs

PETROL

EG63

1 1/2



HIACE	GENIE#	# 240E				WILDC	AT# 118				
77-82 TRI-Y RH22-42	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR CON		FITTING TIME
18R 2.0LTR	DSF57	1 5/8	1 1/2	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2hrs
	*WHEN FIT	TING TO VE	HICLE WITH	AIR PUMP	USE GEN24	0EP OR WIL	D118E.				
HIACE						WILDC	AT# 163				
77-83 TRI-Y YH50-73	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR CON		FITTING TIME
1Y-2Y-3Y-4Y 1.8-2.0LTR	DSF50	1 1/2	1 3/4	2	Y	Y	Υ	Y	Y	Υ*	2hrs
	*FOR VEHI	CLE WITH H	OT BOX US	E WILD163E							
82-89 TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
L-2L 2.2-2.4LTR	EM122	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ			2hrs
HIACE						WILDC	AT# 185				
89- TRI-Y RZH103-125	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
2RZ 2.4LTR	EM84	1 5/8	1 3/4	2	Y	Y	Y	Y			2hrs
HILUX 2WD/4wd	GENIE#	# 240E				WILDC	AT# 118	*	T		ı
79-83 TRI-Y R41-46	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR CON		FITTING TIME
18R 2.0LTR	EM33	1 5/8	1 3/4	2	1 1/2	Υ	Y	Y	Y*	Υ*	2hrs
	*WILL FIT	WITH TORSI	ON BAR FRO	ONT (WILD (ONLY)						
	*WHEN FIT	TING TO VE	HICLE WITH	AIR PUMP	USE GEN24	0EP OR WIL	D118E.				
HILUX 2WD						WILDC	AT# 163				1
83-89 TRI-Y YN57	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	EGR CON		FITTING TIME
1Y-2Y-3Y-4Y 1.8-2.0LTR	DSF50	1 1/2	1 3/4	2	Υ	Υ	Y	Y	Y	Υ*	2hrs
	*FOR VEHI	CLE WITH H	OT BOX US	E WILD163E							
HILUX 4RUNNER 4WI)					WILDC	AT# 65				
83-89 TRI-Y YN65-67	GASKET	PRIMARY GENIE	PRIMARY WILD	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
3Y-4Y 2.0-2.2LTR	DSF50	1 5/8	1 1/2	1 3/4	2	Υ	Υ	Y	Y		2hrs

HILUX 4RUNNER 2/4WD	GENIE#	‡ 243E				WILDC	AT# 39			
82- TRI-Y L-2L-3L-5L	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER		FITTING TIME
2.2-2.4-2.8-3.0LTR	EM122	1 5/8	1 3/4	2	Υ	Y	Υ	Y		2hrs

*FITS LEAF AND COIL FRONT ENDS



HILUX 2WD WILDCAT# 125												
1989- RN85-90	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER			FITTING TIME
22R 2.4LTR		DSF57	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ			2HRS

*WILL FIT TORSION BAR FRONT

HILUX 4WD							WILDC	AT# 126				
1989- TRI-	-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	P/STEER	AIR	FITTING	
RN105-110			SIZE	SIZE	FLANGE					PUMP	TIME	
22R 2.4LTR		DSF57	1 5/8	1 3/4	2	Υ	Y	Y	Υ	Y*	2HRS	

*FOR AIR PUMP MODELS USE WILD126E

HILUX 2WI	D						WILDC	AT# 231			
1997- 149R EFI D	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3RZ-FE 2.7L	.TR	HTG544	1 5/8	1 3/4	2	Υ	Υ	Υ	Υ	Υ	2HRS

HILUX 4W	D						WILDC	AT# 237			
1997- 149R EFI [TRI-Y DOHC	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
3RZ-FE 2.7I	LTR	HTG544	1 5/8	2	2 1/2	Υ	Y	Υ	Υ	Υ	2HRS

HILUX 4WD V6 AUTON	MATIC				WILDC	AT# 276	Α			
2002- TRI-Y VZN167-172	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
5VZ-FE 3.4LTR		1 5/8	2	2 1/2	N	Υ	Υ	Υ	Υ	6HRS

*TO SUIT AUTOMATIC VEHICLE ONLY.

HILUX 4W	D V6 MANU	AL				WILDC	AT# 276	M			
2002-	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
VZN167-17	' 2		SIZL	SIZL	ILANOL					SENSOR	I IIVIL
5VZ-FE 3.4L	.TR		1 5/8	2	2 1/2	Y	N	Υ	Υ	Y	6HRS

*TO SUIT MANUAL VEHICLE ONLY.

HILUX 4WD V6 MANU	AL				WILDC	AT# 277	•		
2005- TUNED SHORT BRANCH	GASKET	PRIMARY SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	P/STEER	OXY SENSOR	FITTING TIME
4.0LTR V6	NA	1 5/8	2 1/4	ı	Y	Υ	Υ	Υ	3HRS

*FITS UPTO PRE-CATS



LANDCRUISER PETROL

LANDCRUISER	GENIE	#200E				WILDC	AT# 38			
63-80 TRI-Y	GASKET	PRIMARY	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON		FITTING
FJ40-55		GENIE	WILD	SIZE	SLIP					TIME
F155 3.9-4.2LTR 2F	DSF32	1 5/8	1 1/2	1 3/4	2	Y	Y	Y		2hrs
	*INSIDE CH	HASSIS	* WILL NO	T FIT WITH	PTO					
LANDCRUISER						WILDC	AT# 141			
75-84 TRI-Y FJ40-45	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	AIR PUMP		FITTING TIME
2F 4.2LTR	DSF32	1 1/2	2	2 1/4	Y	Υ	Υ	Υ		2hrs
	*OUTSIDE	CHASSIS								
LANDCRUISER						WILDC	AT# 135			
80-84 TRI-Y FJ60	GASKET	PRIMARY WILD	2ND PIPE SIZE	OUTLET	MANUAL	AUTO	AIR-CON	AIR PUMP	HEAT XCHANGE	FITTING TIME
2F 4.2LTR	DSF32	1 1/2	2	21-Apr	Υ	Υ	Υ	Υ	Υ*	2hrs
	*INSIDE CH	ASSIS	*FOR HOT I	BOX USE W	ILD135E					
LANDCRUISER						WILDC	AT# 137	•		
84-92 TRI-Y FJ62-75-80	GASKET	PRIMARY WILD	2ND PIPE SIZE	OUTLET	MANUAL	AUTO	AIR-CON	AIR PUMP	HEAT XCHANGE	FITTING TIME
3F 4.2LTR	DSF32	1 5/8	2	2 1/4	Υ	Y	Y	Y	Υ*	2hrs
									•	
	*INSIDE CH	ASSIS	*FOR HOT E	OX USE WI	LD137E					
LANDCRUISER	*INSIDE CH	HASSIS	*FOR HOT E	SOX USE WI	LD137E	WILDC	AT# 229			
LANDCRUISER 92- TRI-Y FZJ75 1FZE	*INSIDE CH	PRIMARY SIZE	*FOR HOT E 2ND PIPE SIZE	OUTLET FLANGE	LD137E MANUAL	WILDC/ AUTO	AT# 229 AIR-CON	OXY SENSOR		FITTING TIME
92- TRI-Y		PRIMARY	2ND PIPE	OUTLET				OXY		
92- TRI-Y FZJ75 1FZE	GASKET EG267	PRIMARY SIZE	2ND PIPE SIZE 2	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	OXY SENSOR		TIME
92- TRI-Y FZJ75 1FZE	GASKET EG267	PRIMARY SIZE 1 1/2 BOLT-ON FIT	2ND PIPE SIZE 2	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	OXY SENSOR		TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI	GASKET EG267 **DIRECT E	PRIMARY SIZE 1 1/2 BOLT-ON FIT	2ND PIPE SIZE 2	OUTLET FLANGE	MANUAL	AUTO Y	AIR-CON	OXY SENSOR		TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y	GASKET EG267 **DIRECT E	PRIMARY SIZE 1 1/2 BOLT-ON FIT \$ 270E PRIMARY	2ND PIPE SIZE 2 MENT 2ND PIPE	OUTLET FLANGE 2 1/4 *OUTSIDE	MANUAL Y CHASSIS	Y WILDC	AIR-CON Y AT# 43	OXY SENSOR Y		TIME 2hrs FITTING
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE	GASKET EG267 **DIRECT F GENIE GASKET EG267	PRIMARY SIZE 1 1/2 BOLT-ON FIT # 270E PRIMARY SIZE	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE	MANUAL Y CHASSIS MANUAL Y	Y WILDC	Y AT# 43 AIR-CON	OXY SENSOR Y OXY SENSOR		Zhrs FITTING TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE	GASKET EG267 **DIRECT F GENIE GASKET EG267	PRIMARY SIZE 1 1/2 3OLT-ON FIT # 270E PRIMARY SIZE 1 3/4	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE 2 1/2	MANUAL Y CHASSIS MANUAL Y	Y WILDC AUTO Y	Y AT# 43 AIR-CON	OXY SENSOR Y OXY SENSOR Y		Zhrs FITTING TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE 4.5LTR DOHC EFI	GASKET EG267 **DIRECT F GENIE GASKET EG267	PRIMARY SIZE 1 1/2 3OLT-ON FIT # 270E PRIMARY SIZE 1 3/4	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE 2 1/2	MANUAL Y CHASSIS MANUAL Y	Y WILDC AUTO Y	Y AT# 43 AIR-CON Y	OXY SENSOR Y OXY SENSOR Y	OXY SENSOR	Zhrs FITTING TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE 4.5LTR DOHC EFI LANDCRUISER 98- TRI-Y	GASKET EG267 **DIRECT E GENIE GASKET EG267 **DIRECT E	PRIMARY SIZE 1 1/2 BOLT-ON FIT # 270E PRIMARY SIZE 1 3/4 BOLT-ON FIT	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2 MENT 2ND PIPE	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE 2 1/2 *OUTSIDE	MANUAL Y CHASSIS MANUAL Y CHASSIS	Y WILDC AUTO Y WILDC	AIR-CON Y AT# 43 AIR-CON Y AT# 242	OXY SENSOR Y OXY SENSOR Y POWER		FITTING TIME 2hrs FITTING FITTING
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE 4.5LTR DOHC EFI LANDCRUISER 98- TRI-Y FZJ100	GASKET EG267 **DIRECT E GENIE GASKET EG267 **DIRECT E	PRIMARY SIZE 1 1/2 BOLT-ON FIT # 270E PRIMARY SIZE 1 3/4 BOLT-ON FIT PRIMARY SIZE 1 5/8	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2 MENT 2ND PIPE SIZE	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE 2 1/2 *OUTSIDE OUTLET SLIP	MANUAL Y CHASSIS MANUAL Y CHASSIS	AUTO Y WILDC AUTO Y WILDC AUTO	AIR-CON Y AT# 43 AIR-CON Y AT# 242 AIR-CON	OXY SENSOR Y OXY SENSOR Y POWER STEER	SENSOR	FITTING TIME FITTING TIME FITTING TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE 4.5LTR DOHC EFI LANDCRUISER 98- TRI-Y FZJ100	GASKET **DIRECT E GENIE GASKET EG267 **DIRECT E GASKET	PRIMARY SIZE 1 1/2 BOLT-ON FIT # 270E PRIMARY SIZE 1 3/4 BOLT-ON FIT PRIMARY SIZE 1 5/8	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2 MENT 2ND PIPE SIZE	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE 2 1/2 *OUTSIDE OUTLET SLIP	MANUAL Y CHASSIS MANUAL Y CHASSIS	AUTO Y WILDC AUTO Y WILDC AUTO Y	AIR-CON Y AT# 43 AIR-CON Y AT# 242 AIR-CON	OXY SENSOR Y OXY SENSOR Y POWER STEER Y	SENSOR	FITTING TIME FITTING TIME FITTING TIME
92- TRI-Y FZJ75 1FZE 4.5LTR DOHC EFI LANDCRUISER 90- TRI-Y FZJ80 1FZE 4.5LTR DOHC EFI LANDCRUISER 98- TRI-Y FZJ100 4.5LTR DOHC EFI	GASKET **DIRECT E GENIE GASKET EG267 **DIRECT E GASKET	PRIMARY SIZE 1 1/2 BOLT-ON FIT # 270E PRIMARY SIZE 1 3/4 BOLT-ON FIT PRIMARY SIZE 1 5/8	2ND PIPE SIZE 2 MENT 2ND PIPE SIZE 2 MENT 2ND PIPE SIZE	OUTLET FLANGE 2 1/4 *OUTSIDE OUTLET FLANGE 2 1/2 *OUTSIDE OUTLET SLIP	MANUAL Y CHASSIS MANUAL Y CHASSIS	AUTO Y WILDC AUTO Y WILDC AUTO Y	AIR-CON Y AT# 43 AIR-CON Y AT# 242 AIR-CON	OXY SENSOR Y OXY SENSOR Y POWER STEER Y	SENSOR	FITTING TIME FITTING TIME FITTING TIME

*CAT CONVERTORS NEED TO BE RELOCATED



LANDCRUISER DIESEL

LANDCRU	UISER						WILDC	AT# 147			
75-80	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	POWER		FITTING
BJ40			GENIE	SIZE	SLIP				STEER		TIME
B 3.0LTR D	DIESEL	DSF051	1 3/4	2	2 1/4	Υ	Y	Y	Y		2HRS

LANDCRUISER	GENIE#	# 232E				WILDC	AT# 2					
80-89 TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	POWER			FITTING	
HJ45-60-75		GENIE	SIZE	SLIP				STEER			TIME	
2H DIESEL 4.0LTR	DSF53	1 1/2	2	2 1/4	Y	Υ	Y	Υ	·	·	2HRS	

*INSIDE CHASSIS

*WILDCAT WILL FIT WITH PTO WINCH

LANDCRU	IISER						WILDC	AT# 130			
80-84	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	POWER		FITTING
HJ45-47-6	0-75		GENIE	SIZE	SLIP				STEER		TIME
2H DIESEL	4.0LTR	DSF53	1 1/2	2	2 1/4	Υ	Υ	Υ	Υ		2HRS

*OUTSIDE CHASSIS

LANDCRUISER	GENIE#	# 265E								
90- TRI-Y	GENIE#	# 265SS				WILDC	AT# 41			
HZJ70-75	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	POWER		FITTING
1HZ 4.2LTR		GENIE	SIZE	FLANGE				STEER		TIME
UTE-TROOP CARRIER	DSF82	1 1/2	2	2 1/2	Υ	Υ	Υ	Υ		2HRS

**DIRECT BOLT-ON FITMENT *OUTSIDE CHASSIS *GENIE SUPPLIED WITH FLEX

LANDCRUIS	SER	GENIE#	‡ 275E				WILDC	AT# 119				
90-98	TRI-Y	GASKET	PRIMARY	2ND PIPE	OUTLET	MANUAL	AUTO	AIR-CON	POWER		FITTING	
HZJ80R			GENIE	SIZE	SLIP				STEER		TIME	
1HZ 4.2LTR		DSF82	1 1/2	2	2 1/2	Y	Y	Y	Y		2HRS	

*OUTSIDE CHASSIS WAGON. GENIE SUPPLIED WITH FLEX.

*WILD119 WE STONGLY ADVISE VEHICLE TO BE RETUNED AS TO CORRECT FEUL MIXTURES

AS VEHICLE MAY RUN LEAN WITH EXTRACTORS FITTED AND POSSIBLY CRACK PIPES.

LAND	CRUISER						WILDC	AT# 249			
98-	TRI-Y WAGON	GASKET	PRIMARY GENIE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO	AIR-CON	POWER STEER		FITTING TIME
ПДЈ/З	WAGON										
1HZ 4.2	2LTR	DSF82	1 5/8	1 3/4	2 1/4	Υ	Υ	Υ	Υ		2HRS

*INSIDE CHASSIS

*100 SERIES TAGGED HZJ75

LANDCRUISER	GENIE#	# 026E				WILDC	AT# 275			
02- TRI-Y HZJ105R WAGON	GASKET	PRIMARY GENIE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	POWER STEER		FITTING TIME
1HZ DIESEL 4.2LTR	DSF82	1 1/2	2	2 1/2	Y	Υ	Υ	Υ		2HRS

**DIRECT BOLT-ON FITMENT (GEN026E ONLY)

*INSIDE CHASSIS



LANDCRUISER						WILDC	AT# 281			
2000-5/2004 TRI-Y HZJ79 UTE	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET FLANGE	MANUAL	AUTO	AIR-CON	POWER STEER		FITTING TIME
1HZ DIESEL 4.2LTR	DSF82	1 1/2	2	2 1/2	Υ	Υ	Y	Υ		2HRS

**DIRECT BOLT-ON FITMENT

*OUTSIDE CHASSIS

PRADO -S	HORT BRAI	NCH				WILDC	AT# 277				
2003- GRJ120R	TUNED	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO	AIR-CON	POWER STEER	OXY SENSOR	FITTING TIME
4.0LTR V6		NA	1 5/8		2 1/4	-	Υ	Y	Υ	Υ	3HRS

*FITS UPTO PRE-CATS

PRADO -LO	NG BRAN	CH				WILDC	AT# 278				
2003-	TRI-Y	GASKET	PRIMARY		OUTLET	MANUAL	AUTO	AIR-CON	POWER	OXY	FITTING
GRJ120R			SIZE		FLANGE				STEER	SENSOR	TIME
4.0LTR V6		NA	1 5/8	2	2 1/4	-	Υ	Υ	Y	Υ	4HRS

^{*}PLEASE NOTE* THIS VEHICLE HAS 4 INDIVIDUAL CAT-CONVERTERS

^{*}WILDCAT-GENIE HEADERS TAKE NO RESPONSIBILITY ,AS THIS MAY VOID VEHICLE WARRANTY.

RAV4		GENIE#	‡ 206E									
94- 5SFE	TRI-Y	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	POWER STEER		FITTING TIME	
2.2LTR		EG233	1 5/8	2	2 1/4	Y	Υ	Υ	Υ		2HRS	

*PLEASE NOTE .NEEDS SLIGHT MOD TO OUTLET PIPE ,CHANGE OXY SENSOR LOCATION ,USE AFTERMARKET CAT

TARAGO	TARAGO WILDCAT# 163												
82-90 98145.451 98145.451	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO	AIR-CON	POWER STEER	HOT BOX		FITTING TIME		
1.8- 2.4LTR	DSF50	1 1/2	1 3/4	2	Y	Y	Y	Y	Y*		2HRS		

*USE WILD 163E FOR VEHICLE WITH HOTBOX.

T18 GENIE# 150ET WILDCAT# NA	
71-77 TUNED GASKET PRIMARY SIZE OUTLET MANUAL AUTO AIR-CON POWER STEER	FITTING TIME
98145.451 DSF37 1 1/2 2 Y Y Y	2HRS

^{* 1} SET OF CATS TO BE REMOVED ,HEADER JOINS TO EXHAUST SYSTEM.

^{*}OXY SENSORS TO BE RELOCATED 1 SENSOR BEFORE CAT, 1 SENSOR AFTER CAT PER SIDE

Wildeat VOLKSWAGON

BEETLE		GENIE#	# 1316ET	ſ			WILDC	AT# 244		
63-76	TRI-Y	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO			FITTING TIME
1.2-1.6LTR		DSF56	1 3/8	1 3/4	1 3/4	Υ	Y			2hrs

*WILDCAT INCLUDES TRIFLO HOTDOG

KOMBI GENIE# 1700ET								WILDC	AT# 232	}		
71	l - 80	98145.451	GASKET	PRIMARY SIZE	2ND PIPE SIZE	OUTLET SLIP	MANUAL	AUTO				FITTING TIME
1.7	7-2.0		DSF66	1 1/2			Υ	Υ				2hrs

^{*}WILDCAT INCLUDES TRIFLO HOTDOG

BLOCK HUGGERS

FORD V8 CLEVELAND	WILDCAT# 62										
	GASKET	PRIMARY SIZE		OUTLET SLIP	MANUAL	AUTO					FITTING TIME
BLOCK HUGGERS	DSF27	1 3/4		2 1/2	Y	Y					
	*only fits s	ome convers	sions-depen	dent on eng	ine mounts						
HOLDEN V8	GENIE# BH308										
	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO					FITTING TIME
BLOCK HUGGERS	DSF9A	1 5/8		2 1/2	Y	Υ					
CHEVROLET V8	GENIE# BH400										
TUNED	GASKET	PRIMARY SIZE		OUTLET FLANGE	MANUAL	AUTO					FITTING TIME
SMALL BLOCK	DSF9	1 5/8		2 1/2	Υ	Υ					

Toyota Hilux wild 32 V6 transplant drivers side front pipe needs slight modification.



IMPORTANT NOTES

For Your Records Please Note The Following Interchangeable GENIE PART NUMBERS

The state of the s										
Part No.			Interc Left	hangable Header		Interchangable Right Header				
317E			3	19EL		320ER				
319E			3	17EL		321ER				
320E			3	21EL		317ER				
321E			3	20EL		319ER				
The Following Part Numbers are the Same, Be Careful to Check Exact Part Number.										
	114ETL	**		214ETL	**	414ETL				
	317EL	**		316EL	**	319EL				
	347ER	**	,	348ER	**	349ER				
		179EB		**	180EB					
		265E		**	275E					
		295E	·	**	296E					
		308EL		**	318EL					
		308ER		**	318ER					
		347EL		**	348EL					

Benefits of a genuine Wildcat Header



Up to 10% improved fuel economy and performance

2 Year Australia Wide replacement guarantee

Laser cut flange plates

800'c High Temperature coating

Surface ground flange plates ensure a perfect seal to head, everytime

2 bolt flanges are slotted for ease of fitment

All Wildcat Headers are pressure tested to ensure they have NO air leaks

Press Bent primary & secondary pipes, designed to minimise crushing of tube.

All Wildcat Headers are designed to give Maximum Performance but still maintain cost effectiveness as a full replacement Extractor.

Wildcat Headers are made with the same attitude to Quality and customer satisfaction as our Genie Header Range.